

# Package ‘AutoregressionMDE’

January 20, 2025

**Title** Minimum Distance Estimation in Autoregressive Model

**Version** 1.0

**Description** Consider autoregressive model of order p where the distribution function of innovation is unknown, but innovations are independent and symmetrically distributed. The package contains a function named ARMDE which takes X (vector of n observations) and p (order of the model) as input argument and returns minimum distance estimator of the parameters in the model.

**Depends** R (>= 3.2.2)

**License** GPL-2

**LazyData** true

**NeedsCompilation** no

**Author** Jiwoong Kim [aut, cre]

**Maintainer** Jiwoong Kim <kimjiwo2@stt.msu.edu>

**Repository** CRAN

**Date/Publication** 2015-09-14 09:12:45

## Contents

ARMDE . . . . .	1
-----------------	---

<b>Index</b>	3
--------------	---

---

ARMDE	<i>Performs minimum distance estimation in autoregressive model</i>
-------	---

---

### Description

Performs minimum distance estimation in autoregressive model

### Usage

ARMDE(X, AR\_Order)

**Arguments**

X : vector of n observed value  
AR\_Order : order of the autoregressive model

**Value**

returns minimum distance estimators of the parameter in the autoregressive model

**References**

- [1] Koul, H. L (1985). Minimum distance estimation in linear regression with unknown error distributions. *Statist. Probab. Lett.*, 3 1-8.
- [2] Koul, H. L (1986). Minimum distance estimation and goodness-of-fit tests in first-order autoregression. *Ann. Statist.*, 14 1194-1213.
- [3] Koul, H. L (2002). Weighted empirical process in nonlinear dynamic models. Springer, Berlin, Vol. 166

**See Also**

LRMDE

**Examples**

```
X <- rnorm(10, mean=0, sd=1)
AR_Order <- 2
rhohat<-ARMDE(X,AR_Order)
```

# **Index**

ARMDE, 1