

# Package ‘BioProbability’

January 20, 2025

**Type** Package

**Title** Probability in Biostatistics

**Version** 1.0

**Author** Alejandro Saavedra-Nieves, Paula Saavedra-Nieves

**Maintainer** Paula Saavedra-Nieves <paula.saavedra@usc.es>

**Description** Several tools for analyzing diagnostic tests and 2x2 contingency tables are provided. In particular, positive and negative predictive values for a diagnostic tests can be calculated from prevalence, sensitivity and specificity values. For contingency tables, relative risk and odds ratio measures are estimated. Furthermore, confidence intervals are provided.

**License** GPL-2

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2020-01-24 18:10:07 UTC

## Contents

input1	1
input2	2
odds	2
odds.ratio	3
predictive.value	4
relative.risk	5
sensitivity_specificity	6

## Index

7

---

input1	<i>Auxiliary function</i>
--------	---------------------------

---

## Description

Auxiliary function.

input2	<i>Auxiliary function</i>
--------	---------------------------

## Description

Auxiliary function.

odds	<i>Odds of a success</i>
------	--------------------------

## Description

This function calculates the odds of a success from its probability. For more details, see Agresti (2018, ISBN: 978-1-119-40528-3).

## Usage

```
odds(p, name="Prevalence")
```

## Arguments

- |      |   |
|------|---|
| p    | a numeric value indicating the probability of the success. It is possible to consider a numeric vector of different probabilities values. |
| name | a character value indicating the name of the success. Possible values for this argument are name="Prevalence" or name="Incidence".        |

## Value

A matrix of two columns. The first column contains the vector of probabilities p. The second column contains the corresponding odds values.

## References

Agresti, A. (2018). An introduction to categorical data analysis. John Wiley & Sons. ISBN: 978-1-119-40528-3.

## Examples

```
odds(0.09, name="Prevalence")
```

---

odds.ratio	<i>Odds ratio calculation</i>
------------	-------------------------------

---

## Description

This function calculates the odds ratio from a contingency table. Furthermore, a confidence interval for the odds ratio is provided. Details on the confidence interval can be found in Agresti (2018, ISBN: 978-1-119-40528-3).

## Usage

```
odds.ratio(A, show.matrix = FALSE, conf.int = FALSE, level = 0.05)
```

## Arguments

A	a 2x2 matrix object where A[1,1] contains the number of people with the disease who have been exposed to some condition; A[1,2], the number of people without the disease who have not been exposed to this condition; A[2,1], the number of people with the disease who have been exposed to the condition; A[2,2], the number of people without the disease who have not been exposed to some condition.
show.matrix	a logical value indicating whether the matrix A must be shown.
conf.int	a logical value indicating whether a confidence interval for the relative risk must be calculated.
level	level of significance for the confidence interval.

## Value

If conf.int=TRUE, a list of length equal to two. The first element of the list Odds Ratio corresponds to the estimation of the odds ratio; the second one Confidence Interval of level contains the corresponding confidence interval.

If conf.int=FALSE, a numeric value corresponding to the estimation of the odds ratio.

## References

Agresti, A. (2018). An introduction to categorical data analysis. John Wiley & Sons. ISBN: 978-1-119-40528-3.

## Examples

```
A<-matrix(c(744,231,421,659),nrow=2)
odds.ratio(A,show.matrix=TRUE,conf.int=TRUE)
```

**predictive.value**      *Positive and negative predictive values for a diagnostic test.*

## Description

This function calculates the positive and negative predictive values for a diagnostic test from the prevalence, the sensitivity and the specificity values using the Bayes' theorem. For more details, see Agresti (2018, ISBN: 978-1-119-40528-3).

## Usage

```
predictive.value(p, Spe, Sen, plot.it = FALSE)
```

## Arguments

p	a numeric value indicating the prevalence of the disease. It is possible to consider a numeric vector of different values for the prevalence.
Spe	a numeric value corresponding to the specificity of the diagnostic test.
Sen	a numeric value corresponding to the sensitivity of the diagnostic test.
plot.it	a logical value indicating whether the scatterplots for the prevalence values and the corresponding predictive values for the diagnostic test must be plotted.

## Value

A matrix of three columns. The first column contains the vector of prevalences p. The second and third columns contain the corresponding positive and negative predictive values, respectively.

If `plot.it=TRUE`, the scatterplots for the prevalence values and the predictive values are plotted.

## References

Agresti, A. (2018). An introduction to categorical data analysis. John Wiley & Sons. ISBN: 978-1-119-40528-3.

## Examples

```
p<-seq(0.001,0.1,length=10)
predictive.value(p,Spe=0.95,Sen=0.97,plot.it=TRUE)
```

---

relative.risk	<i>Relative risk calculation</i>
---------------	----------------------------------

---

## Description

This function calculates the relative risk from a contingency table. Furthermore, a confidence interval for the relative risk is provided. Details on the confidence interval can be found in Agresti (2018, ISBN: 978-1-119-40528-3).

## Usage

```
relative.risk(A, show.matrix = FALSE, conf.int = FALSE, level = 0.05)
```

## Arguments

A	a 2x2 matrix object where A[1,1] contains the number of people with the disease who have been exposed to some condition; A[1,2], the number of people without the disease who have not been exposed to this condition; A[2,1], the number of people with the disease who have been exposed to the condition; A[2,2], the number of people without the disease who have not been exposed to some condition.
show.matrix	a logical value indicating whether the matrix A must be shown.
conf.int	a logical value indicating whether a confidence interval for the relative risk must be calculated.
level	level of significance for the confidence interval.

## Value

If conf.int=TRUE, a list of length equal to two. The first element of the list Relative Risk corresponds to the estimation of the relative risk; the second one Confidence Interval of level contains the corresponding confidence interval.

If conf.int=FALSE, a numeric value corresponding to the estimation of the relative risk.

## References

Agresti, A. (2018). An introduction to categorical data analysis. John Wiley & Sons. ISBN: 978-1-119-40528-3.

## Examples

```
A<-matrix(c(744,231,421,659),nrow=2)
relative.risk(A,show.matrix=TRUE,conf.int=TRUE)
relative.risk(A,show.matrix=TRUE,conf.int=TRUE,level=0.1)
```

**sensitivity.specificity**

*Sensitivity and specificity for a diagnostic test.*

**Description**

This function calculates the sensitivity and specificity for a diagnostic test. Definition of these two concepts can be found in Agresti (2018, ISBN: 978-1-119-40528-3).

**Usage**

```
sensitivity.specificity(A, show.matrix = FALSE)
```

**Arguments**

- |             |   |
|-------------|---|
| A           | a 2x2 matrix object where A[1,1] contains the number of people with the disease and with a positive test result; A[1,2], the number of people without the disease with a positive test result; A[2,1], the number of people with the disease with a negative test result; A[2,2], the number of people without the disease and with a negative test result. |
| show.matrix | a logical value indicating whether the matrix A must be shown.  |

**Value**

A vector object of two components: The first one contains the sensitivity and the second component, the specificity.

**References**

Agresti, A. (2018). An introduction to categorical data analysis. John Wiley & Sons. ISBN: 978-1-119-40528-3.

**Examples**

```
A<-matrix(c(744,231,421,659),nrow=2)
sensitivity.specificity(A,show.matrix=TRUE)
```

# Index

input1, 1  
input2, 2  
odds, 2  
odds.ratio, 3  
predictive.value, 4  
relative.risk, 5  
sensitivity.specificity, 6