Package 'fizzbuzzR'

October 13, 2022

Type Package

Title Fizz Buzz Implementation
Version 0.1.1
Date 2016-10-26
Description An implementation of the Fizz Buzz algorithm, as defined e.g. in <https: //en.wikipedia.org/wiki/Fizz_buzz>.
It provides the standard algorithm with 3 replaced by Fizz and 5 replaced by Buzz, with the option of specifying start and end numbers, step size and the numbers being replaced by fizz and buzz, respectively. This package gives interviewers the optional answer of ``I use fizzbuzzR::fizzbuzz()" when interviewing rather than having to write an algorithm themselves.
License GPL (>= 3)
LazyData TRUE

Depends R (>= 3.1.0)

RoxygenNote 5.0.1

NeedsCompilation no

Author Ansgar Wenzel [aut, cre]

Maintainer Ansgar Wenzel <ansgar.wenzel+fizzbuzzR@gmail.com>

Repository CRAN

Date/Publication 2016-10-27 17:40:26

R topics documented:

	fizzbuzz	 		 •	•		•	• •	•	•	 	•	 •	 •	•	 •	•	 •	•		2
Index																					3

fizzbuzz

Description

This function calculates fizzbuzz as is often asked in interviews. This gives interviewees the alternative answer of 'I use fizzbuzzR::fizzbuzz() with standard options'

Usage

```
fizzbuzz(start = 1, end = 20, step = 1, mod1 = 3, mod2 = 5)
```

Arguments

start	The start of the for loop
end	Tast number of the for loop
step	The step size of the for loop
mod1	mod1 is the number replaced with fizz
mod2	mod2 is the number replaced by Buzz

Value

Fizzbuzz simply prints the numbers, replaced with fizz/buzz as required, to the screen.

References

[wiki]https://en.wikipedia.org/wiki/Fizz_buzz

Examples

```
##---- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##--or do help(data=index) for the standard data sets.
```

fizzbuzz()

Index

fizzbuzz, 2