

Package ‘hurdle’

October 13, 2022

Version 0.1

Title Zero-Inflated and Hurdle Modelling Using Bayesian Inference

Description When considering count data, it is often

the case that many more zero counts than would be expected of some given distribution are observed. It is well established that data such as this can be reliably modelled using zero-inflated or hurdle distributions, both of which may be applied using the functions in this package. Bayesian analysis methods are used to best model problematic count data that cannot be fit to any typical distribution. The package functions are flexible and versatile, and can be applied to varying count distributions, parameter estimation with or without explanatory variable information, and are able to allow for multiple hurdles as it is also not uncommon that count data have an abundance of large-number observations which would be considered outliers of the typical distribution. In lieu of throwing out data or misspecifying the typical distribution, these extreme observations can be applied to a second, extreme distribution. With the given functions of this package, such a two-hurdle model may be easily specified in order to best manage data that is both zero-inflated and over-dispersed.

Date 2017-07-01

Depends R (>= 3.3.0)

License GPL (>= 2)

Encoding UTF-8

LazyData true

RoxygenNote 6.0.1

NeedsCompilation no

Author Earvin Balderama [aut, cre],
Taylor Trippe [aut]

Maintainer Earvin Balderama <ebalderama@luc.edu>

Repository CRAN

Date/Publication 2017-07-02 00:04:08 UTC

R topics documented:

dist_ll	2
---------	---

GenPareto	3
hurdle	4
hurdle_control	6
loglik_zinb	7
loglik_zip	8
mtnorm	9
PE	9
PT	10
PZ	11
update_beta	11
update_pars	13
update_probs	14
zero_nb	15
zero_poisson	16

Index	18
--------------	-----------

dist_ll*Distributional Likelihood for Hurdle Model Count Data Regression***Description**

`dist_ll` is the data likelihood function for hurdle model regression using [hurdle](#).

Usage

```
dist_ll(y, hurd = Inf, lam = NULL, size = 1, mu = NULL, xi = NULL,
        sigma = NULL, dist = c("poisson", "nb", "lognormal", "gpd"), g.x = F,
        log = T)
```

Arguments

<code>y</code>	numeric response vector.
<code>hurd</code>	numeric threshold for 'extreme' observations of two-hurdle models. <code>Inf</code> for one-hurdle models.
<code>lam</code>	current value for the poisson likelihood lambda parameter.
<code>size</code>	size parameter for negative binomial likelihood distributions.
<code>mu</code>	current value for the negative binomial or log normal likelihood mu parameter.
<code>xi</code>	current value for the generalized pareto likelihood xi parameter.
<code>sigma</code>	current value for the generalized pareto likelihood sigma parameter.
<code>dist</code>	character specification of response distribution.
<code>g.x</code>	logical operator. TRUE if operating within the third component of the likelihood function (the likelihood of 'extreme' observations).
<code>log</code>	logical operator. if TRUE, probabilities p are given as log(p).

Details

Currently, Poisson, Negative Binomial, log-Normal, and Generalized Pareto distributions are available.

Value

The log-likelihood of the zero-inflated Poisson fit for the current iteration of the MCMC algorithm.

Author(s)

Taylor Trippe <<ttrippe@luc.edu>>
Earvin Balderama <<ebalderama@luc.edu>>

See Also

[hurdle](#)

GenPareto

The Generalized Pareto Distribution

Description

Density, distribution function, quantile function and random generation for the Generalized Pareto distribution with parameters `mu`, `sigma`, and `xi`.

Usage

```
dgpd(x, mu = 0, sigma = 1, xi = 1, log = F)
mgpd(x, mu = 0, sigma = 1, xi = 1, log = F)
pgpd(q, mu = 0, sigma = 1, xi = 1, lower.tail = T)
qgpd(p, mu = 0, sigma = 1, xi = 1, lower.tail = T)
rgpd(n, mu = 0, sigma = 1, xi = 1)
```

Arguments

<code>x, q</code>	vector of quantiles.
<code>mu</code>	location parameter.
<code>sigma</code>	(non-negative) scale parameter.
<code>xi</code>	shape parameter.
<code>log</code>	logical; if TRUE, probabilities p are given as log(p).
<code>lower.tail</code>	logical; if TRUE, probabilities are $P[X \leq x]$, otherwise, $P[X > x]$.
<code>p</code>	numeric predictor matrix.
<code>n</code>	number of random values to return.

Details

The generalized pareto distribution has density

$$f(x) = \frac{\sigma^{\frac{1}{\xi}}}{(\sigma + \xi(x - \mu))^{\frac{1}{\xi} + 1}}$$

Value

`dgpd` gives the continuous density, `pgpd` gives the distribution function, `qgpd` gives the quantile function, and `rgpd` generates random deviates.

`mgpd` gives a probability mass function for a discretized version of GPD.

Author(s)

Taylor Trippe <ttrippe@luc.edu>
 Earvin Balderama <ebalderama@luc.edu>

Examples

```
dexp(1,rate=.5) #Exp(rate) equivalent to gpd with mu=0 AND xi=0, and sigma=1/rate.
dgpd(1,mu=0,sigma=2,xi=0) #cannot take xi=0.
dgpd(1,mu=0,sigma=2,xi=0.0000001) #but can get close.

##"mass" function of GPD
mgpd(8) == pgpd(8.5) - pgpd(7.5)
```

hurdle

Hurdle Model Count Data Regression

Description

`hurdle` is used to fit single or double-hurdle regression models to count data via Bayesian inference.

Usage

```
hurdle(y, x = NULL, hurd = Inf, dist = c("poisson", "nb", "lognormal"),
       dist.2 = c("gpd", "poisson", "lognormal", "nb"),
       control = hurdle_control(), iters = 1000, burn = 500, nthin = 1,
       plots = FALSE, progress.bar = TRUE)
```

Arguments

<code>y</code>	numeric response vector.
<code>x</code>	numeric predictor matrix.
<code>hurd</code>	numeric threshold for 'extreme' observations of two-hurdle models. <code>Inf</code> for one-hurdle models.

<code>dist</code>	character specification of response distribution.
<code>dist.2</code>	character specification of response distribution for 'extreme' observations of two-hurdle models.
<code>control</code>	list of parameters for controlling the fitting process, specified by hurdle_control .
<code>iters</code>	number of iterations for the Markov chain to run.
<code>burn</code>	numeric burn-in length.
<code>nthin</code>	numeric thinning rate.
<code>plots</code>	logical operator. TRUE to output plots.
<code>progress.bar</code>	logical operator. TRUE to print progress bar.

Details

Setting `dist` and `dist.2` to be the same distribution creates a single `dist`-hurdle model, not a double-hurdle model. However, this is being considered in future package updates.

Value

`hurdle` returns a list which includes the items

pD measure of model dimensionality p_D where $p_D = \bar{D} - D(\bar{\theta})$ is the "mean posterior deviance – deviance of posterior means"

DIC Deviance Information Criterion where $DIC = \bar{D} - p_D$

PPO Posterior Predictive Ordinate (PPO) measure of fit

CPO Conditional Predictive Ordinate (CPO) measure of fit

pars.means posterior mean(s) of third-component parameter(s) if `hurd != Inf`

ll.means posterior means of the log-likelihood distributions of all model components

beta.means posterior means regression coefficients

dev posterior deviation where $D = -2\log L$

beta posterior distributions of regression coefficients

pars posterior distribution(s) of third-component parameter(s) if `hurd != Inf`

Author(s)

Taylor Trippe <ttrippe@luc.edu>

Earvin Balderama <ebalderama@luc.edu>

Examples

```
#Generate some data:
p=0.5; q=0.25; lam=3;
mu=10; sigma=7; xi=0.75;
n=200

set.seed(2016)
y <- rbinom(n,1,p)
```

```

nz <- sum(1-y)
extremes <- rbinom(sum(y),1,q)
ne <- sum(extremes)
nt <- n-nz-ne
yt <- sample(mu-1,nt,replace=TRUE,prob=dpois(1:(mu-1),3)/(ppois(mu-1,lambda)-ppois(0,lambda)))
yz <- round(rgpd(nz,mu,sigma,xi))
y[y==1] <- c(yt,yz)
g <- hurdle(y)

```

hurdle_control*Control Parameters for Hurdle Model Count Data Regression***Description**

Various parameters for fitting control of hurdle model regression using [hurdle](#).

Usage

```
hurdle_control(a = 1, b = 1, size = 1, beta.prior.mean = 0,
  beta.prior.sd = 1000, beta.tune = 1, pars.tune = 0.2, lam.start = 1,
  mu.start = 1, sigma.start = 1, xi.start = 1)
```

Arguments

- a shape parameter for gamma prior distributions.
- b rate parameter for gamma prior distributions.
- size size parameter for negative binomial likelihood distributions.
- beta.prior.mean mu parameter for normal prior distributions.
- beta.prior.sd standard deviation for normal prior distributions.
- beta.tune Markov-chain tuning for regression coefficient estimation.
- pars.tune Markov chain tuning for parameter estimation of 'extreme' observations distribution.
- lam.start initial value for the poisson likelihood lambda parameter.

<code>mu.start</code>	initial value for the negative binomial or log normal likelihood mu parameter.
<code>sigma.start</code>	initial value for the generalized pareto likelihood sigma parameter.
<code>xi.start</code>	initial value for the generalized pareto likelihood xi parameter.

Value

A list of all input values.

Author(s)

Taylor Trippe <ttrippe@luc.edu>
 Earvin Balderama <ebalderama@luc.edu>

See Also

[hurdle](#)

<code>loglik_zinb</code>	<i>Zero-inflated Negative Binomial Data Likelihood</i>
--------------------------	--

Description

Data likelihood function for zero-inflated negative binomial model regression using [zero_nb](#).

Usage

```
loglik_zinb(y, z, mu, size, p)
```

Arguments

<code>y</code>	numeric response vector.
<code>z</code>	vector of binary operators. <code>z == 0</code> for observations considered belonging to the negative binomial distribution, <code>z == 1</code> for observations considered to be 'extra' zeros.
<code>mu</code>	current value for the negative binomial likelihood mu parameter.
<code>size</code>	size parameter for negative binomial distribution.
<code>p</code>	vector of 'extra' zero-count probabilities.

Value

The log-likelihood of the zero-inflated negative binomial fit for the current iteration of the MCMC algorithm.

Author(s)

Taylor Trippe <ttrippe@luc.edu>
 Earvin Balderama <ebalderama@luc.edu>

See Also[zero_nb](#)

loglik_zip*Zero-inflated Poisson Data Likelihood*

Description

Data likelihood function for zero-inflated Poisson model regression using [zero_poisson](#).

Usage

```
loglik_zip(y, z, lam, p)
```

Arguments

y	numeric response vector.
z	vector of binary operators. $z == 0$ for observations considered belonging to the negative binomial distribution, $z == 1$ for observations considered to be 'extra' zeros.
lam	current value for the Poisson likelihood lambda parameter.
p	vector of 'extra' zero-count probabilities.

Value

The log-likelihood of the zero-inflated Poisson fit for the current iteration of the MCMC algorithm.

Author(s)

Taylor Trippe <<ttrippe@luc.edu>>
Earvin Balderama <<ebalderama@luc.edu>>

See Also[zero_poisson](#)

mlnorm*Density Function for Discrete Log Normal Distribution***Description**

Density function of the discrete log normal distribution whose logarithm has mean equal to `meanlog` and standard deviation equal to `sdlog`.

Usage

```
mlnorm(x, meanlog = 0, sdlog = 1, log = T)
```

Arguments

<code>x</code>	vector of quantiles.
<code>meanlog</code>	mean of the distribution on the log scale.
<code>sdlog</code>	standard deviation of the distribution on the log scale.
<code>log</code>	logical; if TRUE, probabilities p are given as log(p).

Value

Discrete log-normal distributional density.

Author(s)

Taylor Trippe <<ttrippe@luc.edu>>
Earvin Balderama <<ebalderama@luc.edu>>

PE*Extreme Count Probability Likelihood***Description**

`PE` is used to calculate the likelihood of a user-defined 'extreme' value count observation in a double-hurdle regression model.

Usage

```
PE(p, q, log = T)
```

Arguments

<code>p</code>	vector of zero-count probabilities.
<code>q</code>	vector of 'extreme' count probabilities.
<code>log</code>	logical operator. If TRUE, probabilities p and q are given as log(p), log(q).

Value

A vector of probabilities.

Author(s)

Taylor Trippe <<ttrippe@luc.edu>>
 Earvin Balderama <<ebalderama@luc.edu>>

See Also

[hurdle](#)

PT

Typical Count Probability Likelihood

Description

PT is used to calculate the likelihood of a user-defined 'typical' value count observation in a double-hurdle regression model.

Usage

`PT(p, q, log = T)`

Arguments

- p vector of zero-count probabilities.
- q vector of 'typical' count probabilities.
- log logical operator. If TRUE, probabilities p and q are given as `log(p), log(q)`.

Value

A vector of probabilities.

Author(s)

Taylor Trippe <<ttrippe@luc.edu>>
 Earvin Balderama <<ebalderama@luc.edu>>

See Also

[hurdle](#)

PZ

Zero Count Probability Likelihood

Description

PZ is used to calculate the likelihood of a zero-value count observation in a single or double-hurdle regression model.

Usage

```
PZ(p, log = T)
```

Arguments

p	vector of zero-count probabilities.
log	logical operator. If TRUE, probabilities p and q are given as log(p), log(q).

Value

A vector of probabilities.

Author(s)

Taylor Trippe <<ttrippe@luc.edu>>
Earvin Balderama <<ebalderama@luc.edu>>

See Also

[hurdle](#)

update_beta

MCMC Second-Component Parameter Update Function for Hurdle Model Count Data Regression

Description

MCMC algorithm for updating the second-component likelihood parameters in hurdle model regression using [hurdle](#).

Usage

```
update_beta(y, x, hurd, dist, like.part, beta.prior.mean, beta.prior.sd, beta,
            XB, beta.acc, beta.tune, g.x = F)
```

Arguments

<code>y</code>	numeric response vector of observations within the bounds of the second component of the likelihood function, $y[0 < y \& y < \text{hurd}]$
<code>x</code>	optional numeric predictor matrix for response observations within the bounds of the second component of the likelihood function, $y[0 < y \& y < \text{hurd}]$.
<code>hurd</code>	numeric threshold for 'extreme' observations of two-hurdle models.
<code>dist</code>	character specification of response distribution for the third component of the likelihood function.
<code>like.part</code>	numeric vector of the current third-component likelihood values.
<code>beta.prior.mean</code>	<code>mu</code> parameter for normal prior distributions.
<code>beta.prior.sd</code>	standard deviation for normal prior distributions.
<code>beta</code>	numeric matrix of current regression coefficient parameter values.
<code>XB</code>	$x * \text{beta[, 1]}$ product matrix for response observations within the bounds of the second component of the likelihood function, $y[0 < y \& y < \text{hurd}]$.
<code>beta.acc</code>	numeric matrix of current MCMC acceptance rates for regression coefficient parameters.
<code>beta.tune</code>	numeric matrix of current MCMC tuning values for regression coefficient estimation.
<code>g.x</code>	logical operator. TRUE if operating within the third component of the likelihood function (the likelihood of 'extreme' observations).

Value

A list of MCMC-updated regression coefficients for the estimation of the second-component likelihood parameter as well as each coefficient's MCMC acceptance ratio.

Author(s)

Taylor Trippe <ttrippe@luc.edu>
 Earvin Balderama <ebalderama@luc.edu>

See Also

[hurdle](#)
[dist_ll](#)

update_pars*MCMC Third-Component Parameter Update Function for Hurdle Model Count Data Regression*

Description

MCMC algorithm for updating the third-component likelihood parameters in hurdle model regression using [hurdle](#).

Usage

```
update_pars(y, hurd, dist, like.part, a, b, size, lam, mu, xi, sigma, lam.acc,
mu.acc, xi.acc, sigma.acc, lam.tune, mu.tune, xi.tune, sigma.tune, g.x = F)
```

Arguments

y	numeric response vector of observations within the bounds of the third component of the likelihood function, $y[y \geq \text{hurd}]$.
hurd	numeric threshold for 'extreme' observations of two-hurdle models.
dist	character specification of response distribution for the third component of the likelihood function.
like.part	numeric vector of the current third-component likelihood values.
a	shape parameter for gamma prior distributions.
b	rate parameter for gamma prior distributions.
size	size parameter for negative binomial likelihood distributions.
lam	current value for the poisson likelihood lambda parameter.
mu	current value for the negative binomial or log normal likelihood mu parameter.
xi	current value for the generalized pareto likelihood xi parameter.
sigma	current value for the generalized pareto likelihood sigma parameter.
lam.acc, mu.acc, xi.acc, sigma.acc	current MCMC values for third-component parameter acceptance rates.
lam.tune, mu.tune, xi.tune, sigma.tune	current MCMC tuning values for each third-component parameter.
g.x	logical operator. TRUE if operating within the third component of the likelihood function (the likelihood of 'extreme' observations).

Value

A list of MCMC-updated likelihood estimator(s) for the third-component parameter(s) and each parameter's MCMC acceptance ratio.

Author(s)

Taylor Trippe <ttrippe@luc.edu>
 Earvin Balderama <ebalderama@luc.edu>

See Also

[hurdle](#)
[dist_ll](#)

[update_probs](#)

MCMC Probability Update Function for Hurdle Model Count Data Regression

Description

MCMC algorithm for updating the likelihood probabilities in hurdle model regression using [hurdle](#).

Usage

```
update_probs(y, x, hurd, p, q, beta.prior.mean, beta.prior.sd, pZ, pT, pE, beta,
XB2, XB3, beta.acc, beta.tune)
```

Arguments

y	numeric response vector.
x	optional numeric predictor matrix.
hurd	numeric threshold for 'extreme' observations of two-hurdle models.
p	numeric vector of current 'p' probability parameter values for zero-value observations.
q	numeric vector of current 'q' probability parameter values for 'extreme' observations.
beta.prior.mean	mu parameter for normal prior distributions.
beta.prior.sd	standard deviation for normal prior distributions.
pZ	numeric vector of current 'zero probability' likelihood values.
pT	numeric vector of current 'typical probability' likelihood values.
pE	numeric vector of current 'extreme probability' likelihood values.
beta	numeric matrix of current regression coefficient parameter values.
XB2	$x * \beta[, 2]$ product matrix.
XB3	$x * \beta[, 3]$ product matrix.
beta.acc	numeric matrix of current MCMC acceptance rates for regression coefficient parameters.
beta.tune	numeric matrix of current MCMC tuning values for regression coefficient estimation.

Value

A list of MCMC-updated regression coefficients for the estimation of the parameters 'p' (the probability of a zero-value observation) and 'q' (the probability of an 'extreme' observation) as well as each coefficient's MCMC acceptance ratio.

Author(s)

Taylor Trippe <ttrippe@luc.edu>
Earvin Balderama <ebalderama@luc.edu>>

See Also

[hurdle](#)
[dist_ll](#)

zero_nb*Zero-Inflated Negative Binomial Regression Model*

Description

`zero_nb` is used to fit zero-inflated negative binomial regression models to count data via Bayesian inference.

Usage

```
zero_nb(y, x, size, a = 1, b = 1, mu.start = 1, beta.prior.mean = 0,
        beta.prior.sd = 1, iters = 1000, burn = 500, nthin = 1, plots = T,
        progress.bar = T)
```

Arguments

<code>y</code>	numeric response vector.
<code>x</code>	numeric predictor matrix.
<code>size</code>	size parameter for negative binomial likelihood distributions.
<code>a</code>	shape parameter for gamma prior distributions.
<code>b</code>	rate parameter for gamma prior distributions.
<code>mu.start</code>	initial value for mu parameter.
<code>beta.prior.mean</code>	mu parameter for normal prior distributions.
<code>beta.prior.sd</code>	standard deviation for normal prior distributions.
<code>iters</code>	number of iterations for the Markov chain to run.
<code>burn</code>	numeric burn-in length.
<code>nthin</code>	numeric thinning rate.
<code>plots</code>	logical operator. TRUE to output plots.
<code>progress.bar</code>	logical operator. TRUE to print progress bar.

Details

Fits a zero-inflated negative binomial (ZINB) model.

Value

zero_nb returns a list which includes the items

- mu** numeric vector; posterior distribution of mu parameter
- beta** numeric matrix; posterior distributions of regression coefficients
- p** numeric vector; posterior distribution of parameter 'p', the probability of a given zero observation belonging to the model's zero component
- ll** numeric vector; posterior log-likelihood

Author(s)

Taylor Trippe <<ttrippe@luc.edu>>
 Earvin Balderama <<ebalderama@luc.edu>>

zero_poisson

Zero-Inflated Poisson Regression Model

Description

zero_poisson is used to fit zero-inflated poisson regression models to count data via Bayesian inference.

Usage

```
zero_poisson(y, x, a = 1, b = 1, lam.start = 1, beta.prior.mean = 0,
             beta.prior.sd = 1, iters = 1000, burn = 500, nthin = 1, plots = T,
             progress.bar = T)
```

Arguments

y	numeric response vector.
x	numeric predictor matrix.
a	shape parameter for gamma prior distributions.
b	rate parameter for gamma prior distributions.
lam.start	initial value for lambda parameter.
beta.prior.mean	mu parameter for normal prior distributions.
beta.prior.sd	standard deviation for normal prior distributions.
iters	number of iterations for the Markov chain to run.
burn	numeric burn-in length.
nthin	numeric thinning rate.
plots	logical operator. TRUE to output plots.
progress.bar	logical operator. TRUE to print progress bar.

Details

Fits a zero-inflated Poisson (ZIP) model.

Value

`zero_poisson` returns a list which includes the items

lam numeric vector; posterior distribution of lambda parameter

beta numeric matrix; posterior distributions of regression coefficients

p numeric vector; posterior distribution of parameter 'p', the probability of a given zero observation belonging to the model's zero component

ll numeric vector; posterior log-likelihood

Author(s)

Taylor Trippe <ttrippe@luc.edu>

Earvin Balderama <ebalderama@luc.edu>

Index

`dgpd` (`GenPareto`), 3
`dist_ll`, 2, 12, 14, 15

`GenPareto`, 3

`hurdle`, 2, 3, 4, 6, 7, 10–15
`hurdle_control`, 5, 6

`loglik_zinb`, 7
`loglik_zip`, 8

`mgpd` (`GenPareto`), 3
`mnorm`, 9

`PE`, 9
`pgpd` (`GenPareto`), 3
`PT`, 10
`PZ`, 11

`qgpd` (`GenPareto`), 3

`rgpd` (`GenPareto`), 3

`update_beta`, 11
`update_pars`, 13
`update_probs`, 14

`zero_nb`, 7, 8, 15
`zero_poisson`, 8, 16