

# Package ‘polymapR’

May 31, 2024

**Type** Package

**Title** Linkage Analysis in Outcrossing Polyploids

**Version** 1.1.6

**Date** 2024-05-30

**Description** Creation of linkage maps in polyploid species from marker dosage scores of an F1 cross from two heterozygous parents. Currently works for outcrossing diploid, autotriploid, autotetraploid and autohexaploid species, as well as segmental allotetraploids. Methods are described in a manuscript of Bourke et al. (2018) <[doi:10.1093/bioinformatics/bty371](https://doi.org/10.1093/bioinformatics/bty371)>. Since version 1.1.0, both discrete and probabilistic genotypes are acceptable input; for more details on the latter see Liao et al. (2021) <[doi:10.1007/s00122-021-03834-x](https://doi.org/10.1007/s00122-021-03834-x)>.

**Depends** R (>= 3.5.0)

**License** GPL

**Imports** doParallel, foreach, graphics, grDevices, igraph, knitr, MDSMap, stats, utils

**RoxygenNote** 7.3.1

**Suggests** ggplot2, Hmisc, RColorBrewer, reshape2, rmarkdown, polyRAD, updog, mappoly

**VignetteBuilder** knitr

**Encoding** UTF-8

**LazyData** TRUE

**NeedsCompilation** no

**Author** Peter Bourke [aut, cre],  
Geert van Geest [aut],  
Roeland Voorrips [ctb],  
Yanlin Liao [ctb]

**Maintainer** Peter Bourke <[pbourkey@gmail.com](mailto:pbourkey@gmail.com)>

**Repository** CRAN

**Date/Publication** 2024-05-31 13:50:13 UTC

**R topics documented:**

add_dup_markers . . . . .	3
ALL_dosages . . . . .	4
all_linkages_list_P1 . . . . .	5
assign_linkage_group . . . . .	5
assign_SN_SN . . . . .	6
bridgeHomologues . . . . .	8
calcSegtypeInfo . . . . .	9
checkF1 . . . . .	11
check_map . . . . .	15
check_marker_assignment . . . . .	16
check_maxP . . . . .	17
chk1 . . . . .	18
cluster_per_LG . . . . .	18
cluster_SN_markers . . . . .	20
compare_maps . . . . .	21
consensus_LG_assignment . . . . .	22
consensus_LG_names . . . . .	23
convert_marker_dosages . . . . .	24
convert_polyRAD . . . . .	25
convert_updog . . . . .	26
correctDosages . . . . .	27
createTetraOriginInput . . . . .	28
create_phased_maplist . . . . .	29
define_LG_structure . . . . .	31
exampleRAD_mapping . . . . .	32
finish_linkage_analysis . . . . .	33
get_markertype_combinations . . . . .	35
gp_df . . . . .	36
gp_overview . . . . .	36
gp_vignette_data . . . . .	37
homologue_lg_assignment . . . . .	38
integrated.maplist . . . . .	40
LGHomDf_P1_1 . . . . .	40
linkage . . . . .	41
linkage.gp . . . . .	43
map1 . . . . .	46
map2 . . . . .	46
map3 . . . . .	46
maplist_P1 . . . . .	47
marker_binning . . . . .	47
marker_data_summary . . . . .	48
MDSMap_from_list . . . . .	50
merge_homologues . . . . .	51
mout . . . . .	51
overviewSNlinks . . . . .	52
P1_homologues . . . . .	53

P1_SxS_Assigned . . . . .	53
p4_functions . . . . .	54
parental_quantities . . . . .	55
PCA_progeny . . . . .	56
phased.maplist . . . . .	56
phase_SN_diploid . . . . .	57
plot_hom_vs_LG . . . . .	58
plot_map . . . . .	58
plot_phased_maplist . . . . .	60
r2_functions . . . . .	60
r3_functions . . . . .	61
r4_functions . . . . .	62
r6_functions . . . . .	63
r_LOD_plot . . . . .	63
screen_for_duplicate_individuals . . . . .	64
screen_for_duplicate_individuals.gp . . . . .	65
screen_for_duplicate_markers . . . . .	66
screen_for_NA_values . . . . .	67
SNSN_LOD_deviations . . . . .	68
SN_SN_P1 . . . . .	69
test_prepairing . . . . .	70
write.mct . . . . .	71
write.pwd . . . . .	72
write.TSNPM . . . . .	73
write_nested_list . . . . .	74
write_pwd_list . . . . .	74

## Index 76

---

add_dup_markers	<i>Add back duplicate markers after mapping</i>
-----------------	---

---

### Description

Often there will be duplicate markers that can be put aside to speed up mapping. These may be added back to the maps afterwards.

### Usage

```
add_dup_markers(maplist, bin_list, marker_assignments = NULL)
```

### Arguments

maplist	A list of maps. Output of <code>MDSMap_from_list</code> .
bin_list	A list of marker bins containing marker duplicates. One of the list outputs of <a href="#">screen_for_duplicate_markers</a>
marker_assignments	Optional argument to include the marker_assignments (output of <a href="#">check_marker_assignment</a> ). If included, marker assignment information will also be copied.

**Value**

A list with the following items:

**maplist** List of maps, now with duplicate markers added

**marker\_assignments** If required, marker assignment list with duplicate markers added

---

ALL_dosages	<i>A dosage matrix for a random pairing tetraploid with five linkage groups.</i>
-------------	--

---

**Description**

A dosage matrix for a random pairing tetraploid with five linkage groups.

**Usage**

ALL\_dosages

segregating\_data

screened\_data

screened\_data2

screened\_data3

TRI\_dosages

**Format**

A matrix

An object of class `matrix` (inherits from `array`) with 2873 rows and 209 columns.

An object of class `matrix` (inherits from `array`) with 1417 rows and 209 columns.

An object of class `matrix` (inherits from `array`) with 1417 rows and 207 columns.

An object of class `matrix` (inherits from `array`) with 1417 rows and 200 columns.

An object of class `matrix` (inherits from `array`) with 250 rows and 202 columns.

---

all\_linkages\_list\_P1 *A (nested) list of linkage data frames classified per linkage group and homologue*

---

### Description

A (nested) list of linkage data frames classified per linkage group and homologue

### Usage

```
all_linkages_list_P1
```

```
all_linkages_list_P1_split
```

```
all_linkages_list_P1_subset
```

### Format

An object of class list of length 5.

An object of class list of length 5.

An object of class list of length 5.

---

assign\_linkage\_group *Assign non-SN markers to a linkage group and homologue(s).*

---

### Description

assign\_linkage\_group quantifies per marker number of linkages to a linkage group and evaluates to which linkage group (and homologue(s)) the marker belongs.

### Usage

```
assign_linkage_group(  
  linkage_df,  
  LG_hom_stack,  
  SN_colname = "marker_a",  
  unassigned_marker_name = "marker_b",  
  phase_considered = "coupling",  
  LG_number,  
  LOD_threshold = 3,  
  ploidy,  
  assign_homologue = T,  
  log = NULL  
)
```

**Arguments**

linkage_df	A linkage data.frame as output of <code>linkage</code> .
LG_hom_stack	A data.frame with markernames ("SxN_Marker"), linkage group ("LG") and homologue ("homologue")
SN_colname	The name of the column in linkage_df harbouring the 1.0 markers
unassigned_marker_name	The name of the column in linkage_df harbouring the marker that are to be assigned.
phase_considered	The phase that is used to assign the markers (deprecated)
LG_number	The number of chromosomes (linkage groups) in the species.
LOD_threshold	The LOD score at which a linkage to a linkage group is significant.
ploidy	The ploidy of the plant species.
assign_homologue	Logical. Should markers be assigned to homologues? If FALSE markers will be assigned to all homologues
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.

**Value**

Output is a data.frame with at least the following columns:

Assigned_LG	The assigned linkage group
Assigned_hom1	The homologue with most linkages

The columns LG1 - LGn and Hom1 - Homn give the number of hits per marker for that linkage group/homologue. Assigned\_hom2 .. gives the nth homologue with most linkages.

**Examples**

```
data("SN_DN_P1", "LGHomDf_P1_1")
assigned_df<-assign_linkage_group(linkage_df = SN_DN_P1,
                                LG_hom_stack = LGHomDf_P1_1,
                                LG_number = 5, ploidy = 4)
```

---

assign_SN_SN	<i>Assign (leftover) 1.0 markers</i>
--------------	--------------------------------------

---

**Description**

Some 1.0 markers might have had ambiguous linkages, or linkages with low LOD scores leaving them unlinked to a linkage group. `assign_SN_SN` finds 1.0 markers unlinked to a linkage group and tries to assign them.

**Usage**

```
assign_SN_SN(  
  linkage_df,  
  LG_hom_stack,  
  LOD_threshold,  
  ploidy,  
  LG_number,  
  log = NULL  
)
```

**Arguments**

linkage_df	A data.frame as output of <code>linkage</code> with arguments <code>markertype1=c(1,0)</code> and <code>markertype2=NULL</code> .
LG_hom_stack	A data.frame with marker names ("SxN_Marker"), linkage group ("LG") and homologue ("homologue")
LOD_threshold	A LOD score at which linkages between markers are significant.
ploidy	Integer. The ploidy level of the plant species.
LG_number	Integer. Number of chromosomes (linkage groups)
log	Character string specifying the log filename to which standard output should be written. If NULL log is sent to stdout.

**Value**

Returns a data.frame with the following columns:

SxN_Marker	The marker name
Assigned_hom1	The assigned homologue
Assigned_LG	The assigned linkage group

**Examples**

```
data("SN_SN_P1", "LGHomDf_P1_1")  
SN_assigned<-assign_SN_SN(linkage_df = SN_SN_P1,  
  LG_hom_stack = LGHomDf_P1_1,  
  LOD_threshold= 4,  
  ploidy=4,  
  LG_number=5)
```

---

bridgeHomologues

*Use bridge markers to cluster homologues into linkage groups*


---

## Description

Clustering at high LOD scores results in marker clusters representing homologues. `bridgeHomologues` clusters these (pseudo)homologues to linkage groups using linkage information between 1.0 and bridge markers within a parent (e.g. 2.0 for a tetraploid). If parent-specific bridge markers (e.g. 2.0) cannot be used, biparental markers can also be used (e.g. 1.1, 1.2, 2.1, 2.2 and 1.3 markers). The linkage information between 1.0 and biparental markers can be combined.

## Usage

```
bridgeHomologues(
  cluster_stack,
  cluster_stack2 = NULL,
  linkage_df,
  linkage_df2 = NULL,
  LOD_threshold = 5,
  automatic_clustering = TRUE,
  LG_number,
  parentname = "",
  min_links = 1,
  min_bridges = 1,
  only_coupling = FALSE,
  log = NULL
)
```

## Arguments

<code>cluster_stack</code>	A data.frame with a column "marker" specifying markernames, and a column "cluster" specifying marker cluster
<code>cluster_stack2</code>	Optional. A <code>cluster_stack</code> for the other parent. Use this argument if cross-parent markers are used (e.g. when using 1.1 markers).
<code>linkage_df</code>	A linkage data.frame as output of <a href="#">linkage</a> between bridge (e.g. 1.0 and 2.0) markers.
<code>linkage_df2</code>	Optional. A <code>linkage_df</code> specifying linkages between 1.0 and cross-parent markers in the other parent. Use this argument if cross-parent markers are used (e.g. when using 1.1, 2.1, 1.2 and/or 2.2 markers). The use of multiple types of cross-parent markers is allowed.
<code>LOD_threshold</code>	Integer. The LOD threshold specifying at which LOD score a link between 1.0 and bridging-type marker (e.g. 2.0) is used for clustering homologues.
<code>automatic_clustering</code>	Logical. Should clustering be executed without user input?
<code>LG_number</code>	Integer. Expected number of chromosomes (linkage groups)



parentname	Name of the parent. Used in the main title of the plot.
min_links	The minimum number of links between a bridge marker and a cluster for that bridge to be considered. In the case of a 2x0 marker for example, this argument means that the 2x0 marker must have at least min_links linkages of at least a LOD of LOD_threshold with markers from each of the clusters involved, to be considered a single bridging link. Make this number higher if there are a lot of spurious links.
min_bridges	The minimum number of bridge markers needed to assign two homologues together as coming from the same chromosomal linkage group. See argument min_links for further details.
only_coupling	Logical, should only coupling linkages be used in the process? By default FALSE
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.

**Value**

A data.frame with markers classified by homologue and linkage group.

**Examples**

```
data("P1_homologues", "P2_homologues", "SN_DN_P1", "SN_SS_P1", "SN_SS_P2")
ChHomDf<-bridgeHomologues(cluster_stack = P1_homologues[["5"]],
  linkage_df=SN_DN_P1,
  LOD_threshold=4,
  automatic_clustering=TRUE,
  LG_number=5,
  parentname="P1")
```

```
ChHomDf<-bridgeHomologues(cluster_stack = P1_homologues[["5"]],
  cluster_stack2 = P2_homologues[["5"]],
  linkage_df=SN_SS_P1,
  linkage_df2=SN_SS_P2,
  LOD_threshold=4,
  automatic_clustering=TRUE,
  LG_number=5,
  parentname="P1")
```

---

calcSegtypeInfo

*Build a list of segregation types*


---

**Description**

For each possible segregation type in an F1 progeny with given parental ploidy (and ploidy2, if parent2 has a different ploidy than parent1) information is given on the segregation ratios, parental dosages and whether the segregation is expected under polysomic, disomic and/or mixed inheritance.

**Usage**

```
calcSegtypeInfo(ploidy, ploidy2=NULL)
```

**Arguments**

**ploidy**                    The ploidy of parent 1 (must be even, 2 (diploid) or larger).

**ploidy2**                  The ploidy of parent 2. If omitted (default=NULL) it is assumed to be equal to ploidy.

**Details**

The names of the segregation types consist of a short sequence of digits (and sometimes letters), an underscore and a final number. This is interpreted as follows, for example segtype 121\_0: 121 means that there are three consecutive dosages in the F1 population with frequency ratios 1:2:1, and the 0 after the underscore means that the lowest of these dosages is nulliplex. So 121\_0 means a segregation of 1 nulliplex : 2 simplex : 1 duplex. A monomorphic F1 (one single dosage) is indicated as e.g. 1\_4 (only one dosage, the 4 after the underscore means that this is monomorphic quadruplex). If UPPERCASE letters occur in the first part of the name these are interpreted as additional digits with values of A=10 to Z=35, e.g. 18I81\_0 means a segregation of 1:8:18:8:1 (using the I as 18), with the lowest dosage being nulliplex.

With higher ploidy levels higher numbers (above 35) may be required. In that case each unique ratio number above 35 is assigned a lowercase letter. E.g. one segregation type in octaploids is 9bcb9\_2: a 9:48:82:48:9 segregation where the lowest dosage is duplex.

Segregation types with more than 5 dosage classes are considered "complex" and get codes like c7e\_1 (again in octoploids): this means a complex type (the first c) with 7 dosage classes; the e means that this is the fifth type with 7 classes. Again the \_1 means that the lowest dosage is simplex. It is always possible (and for all segtype names with lowercase letters it is necessary) to look up the actual segregation ratios in the intratio item of the segtype. For octoploid segtype c7e\_1 this shows 0:1:18:69:104:69:18:1:0 (the two 0's mean that nulli- and octoplexes do not occur).

**Value**

A list with for each different segregation type (segtype) one item. The names of the items are the names of the segtypes. Each item is itself a list with components:

**freq** A vector of the ploidy+1 fractions of the dosages in the F1

**intratios** An integer vector with the ratios as the simplest integers

**expgeno** A vector with the dosages present in this segtype

**allfrq** The allele frequency of the dosage allele in the F1

**polysomic** Boolean: does this segtype occur with polysomic inheritance?

**disomic** Boolean: does this segtype occur with disomic inheritance?

**mixed** Boolean: does this segtype occur with mixed inheritance (i.e. with polysomic inheritance in one parent and disomic inheritance in the other)?

**pardosage** Integer matrix with 2 columns and as many rows as there are parental dosage combinations for this segtype; each row has one possible combination of dosages for parent 1 (1st column) and parent 2 (2nd column)

**parmode** Logical matrix with 3 columns and the same number of rows as pardosage. The 3 columns are named polysomic, disomic and mixed and tell if this parental dosage combination will generate this segtype under polysomic, disomic and mixed inheritance

### Examples

```
si4 <- calcSegtypeInfo(ploidy=4) # two 4x parents: a 4x F1 progeny
print(si4[["11_0"]])
```

```
si3 <- calcSegtypeInfo(ploidy=4, ploidy2=2) # a 4x and a diplo parent: a 3x progeny
print(si3[["11_0"]])
```

---

checkF1

*Identify the best-fitting F1 segregation types*

---

### Description

For a given set of F1 and parental samples, this function finds the best-fitting segregation type using either discrete or probabilistic input data. It can also perform a dosage shift prior to selecting the segregation type.

### Usage

```
checkF1(
  input_type = "discrete",
  dosage_matrix,
  probgeno_df,
  parent1,
  parent2,
  F1,
  ancestors = character(0),
  polysomic,
  disomic,
  mixed,
  ploidy,
  ploidy2,
  outfile = "",
  critweight = c(1, 0.4, 0.4),
  Pvalue_threshold = 1e-04,
  fracInvalid_threshold = 0.05,
  fracNA_threshold = 0.25,
  shiftmarkers,
  parentsScoredWithF1 = TRUE,
  shiftParents = parentsScoredWithF1,
  showAll = FALSE,
  append_shf = FALSE
)
```

**Arguments**

input_type	Can be either one of 'discrete' or 'probabilistic'. For the former (default), a dosage_matrix must be supplied, while for the latter a probgeno_df must be supplied.
dosage_matrix	An integer matrix with markers in rows and individuals in columns.
probgeno_df	A data frame as read from the scores file produced by function saveMarkerModels of R package fitPoly, or alternatively, a data frame containing the following columns: <b>SampleName</b> Name of the sample (individual) <b>MarkerName</b> Name of the marker <b>P0</b> Probabilities of dosage score '0' <b>P1...</b> Probabilities of dosage score '1' etc. (up to max dosage, e.g. P4 for tetraploid population) <b>maxP</b> Maximum genotype probability identified for a particular individual and marker combination <b>maxgeno</b> Most probable dosage for a particular individual and marker combination <b>geno</b> Most probable dosage for a particular individual and marker combination, if maxP exceeds a user-defined threshold (e.g. 0.9), otherwise NA
parent1	character vector with the sample names of parent 1
parent2	character vector with the sample names of parent 2
F1	character vector with the sample names of the F1 individuals
ancestors	character vector with the sample names of any other ancestors or other samples of interest. The dosages of these samples will be shown in the output (shifted if shiftParents TRUE) but they are not used in the selection of the segregation type.
polysomic	if TRUE at least all polysomic segtypes are considered; if FALSE these are not specifically selected (but if e.g. disomic is TRUE, any polysomic segtypes that are also disomic will still be considered)
disomic	if TRUE at least all disomic segtypes are considered (see polysomic)
mixed	if TRUE at least all mixed segtypes are considered (see polysomic). A mixed segtype occurs when inheritance in one parent is polysomic (random chromosome pairing) and in the other parent disomic (fully preferential chromosome pairing)
ploidy	The ploidy of parent 1 (must be even, 2 (diploid) or larger).
ploidy2	The ploidy of parent 2. If omitted it is assumed to be equal to ploidy.
outfile	the tab-separated text file to write the output to; if NA a temporary file checkF1.tmp is created in the current working directory and deleted at end
critweight	NA or a numeric vector containing the weights of three quality criteria; do not need to sum to 1. If NA, the output will not contain a column qall_weights. Else the weights specify how qall_weights will be calculated from quality parameters q1, q2 and q3.
Pvalue_threshold	a minimum threshold value for the Pvalue of the bestParentfit segtype (with a smaller Pvalue the q1 quality parameter will be set to 0)

fracInvalid_threshold	a maximum threshold for the fracInvalid of the bestParentfit segtype (with a larger fraction of invalid dosages in the F1 the q1 quality parameter will be set to 0)
fracNA_threshold	a maximum threshold for the fraction of unscored F1 samples (with a larger fraction of unscored samples in the F1 the q3 quality parameter will be set to 0)
shiftmarkers	if specified, shiftmarkers must be a data frame with columns MarkerName and shift; for the markernames that match exactly (upper/lowercase etc) those in the input (either dosage_matrix or probgeno_df), the dosages are increased by the amount specified in column shift, e.g. if shift is -1, dosages 2..ploidy are converted to 1..(ploidy-1) and dosage 0 is a combination of old dosages 0 and 1, for all samples. The segregation check is then performed with the shifted dosages. A shift=NA is allowed, these markers will not be shifted. The sets of markers in the input (either dosage_matrix or probgeno_df) and shiftmarkers may be different, but markers may occur only once in shiftmarkers. A column shift is added at the end of the returned data frame. If parameter shiftParents is TRUE, the parental and ancestor scores are shifted as the F1 scores, if FALSE they are not shifted.
parentsScoredWithF1	TRUE if parents are scored in the same experiment and the same fitPoly run as the F1, else FALSE. If TRUE, their fraction missing scores and conflicts tell something about the quality of the scoring. If FALSE (e.g. when the F1 is triploid and the parents are diploid and tetraploid) the quality of the F1 scores can be independent of that of the parents. If not specified, TRUE is assumed if ploidy2 == ploidy and FALSE if ploidy2 != ploidy
shiftParents	only used if parameter shiftmarkers is specified. If TRUE, apply the shifts also to the parental and ancestor scores. By default TRUE if parentsScoredWithF1 is TRUE
showAll	(default FALSE) if TRUE, for each segtype 3 columns are added to the returned data frame with the frqInvalid, Pvalue and matchParents values for these segtype (see the description of the return value)
append_shf	if TRUE and parameter shiftmarkers is specified, _shf is appended to all marker names where shift is not 0. This is not required for any of the functions in this package but may prevent duplicated marker names when using other software.

## Details

For each marker is tested how well the different segregation types fit with the observed parental and F1 dosages. The results are summarized by columns bestParentfit (which is the best fitting segregation type, taking into account the F1 and parental dosages) and columns qall\_mult and/or qall\_weights (how good is the fit of the bestParentfit segtype: 0=bad, 1=good).

Column bestfit in the results gives the segtype best fitting the F1 segregation without taking account of the parents. This bestfit segtype is used by function correctDosages, which tests for possible "shifts" in the marker models.

In case the parents are not scored together with the F1 (e.g. if the F1 is triploid and the parents are diploid and tetraploid) dosage\_matrix should be edited to contain the parental as well

as the F1 scores. In case the diploid and tetraploid parent are scored in the same run of function `saveMarkerModels` (from package `fitPoly`) the diploid is initially scored as nulliplex-duplex-quadruplex (dosage 0, 2 or 4); that must be converted to the true diploid dosage scores (0, 1 or 2). Similar corrections are needed with other combinations, such as a diploid parent scored together with a hexaploid population etc.

## Value

A list containing two elements, `checked_F1` and `meta`. `meta` is itself a list that stores the parameter settings used in running `checkF1` which can be useful for later reference. The first element (`checked_F1`) contains the actual results: a data frame with one row per marker, with the following columns:

- `m`: the sequential number of the marker (as assigned by `fitPoly`)
- `MarkerName`: the name of the marker, with `_shf` appended if the marker is shifted and `append_shf` is `TRUE`
- `parent1`: consensus dosage score of the samples of parent 1
- `parent2`: consensus dosage score of the samples of parent 2
- `F1_0 ... F1_<ploidy>`: the number of F1 samples with dosage scores 0 ... `<ploidy>`
- `F1_NA`: the number of F1 samples with a missing dosage score
- `sample names of parents and ancestors`: the dosage scores for those samples
- `bestfit`: the best fitting segtype, considering only the F1 samples
- `frqInvalid_bestfit`: for the bestfit segtype, the frequency of F1 samples with a dosage score that is invalid (that should not occur). The frequency is calculated as the number of invalid samples divided by the number of non-NA samples
- `Pvalue_bestfit`: the chisquare test P-value for the observed distribution of dosage scores vs the expected fractions. For segtypes where only one dosage is expected (`1_0`, `1_1` etc) the binomial probability of the number of invalid scores is given, assuming an error rate of `seg_invalidrate` (hard-coded as 0.03)
- `matchParent_bestfit`: indication how the bestfit segtype matches the consensus dosages of parent 1 and 2: "Unknown"=both parental dosages unknown; "No"=one or both parental dosages known and conflicting with the segtype; "OneOK"= only one parental dosage known, not conflicting with the segtype; "Yes"=both parental dosages known and combination matching with the segtype. This score is initially assigned based on only high-confidence parental consensus scores; if low-confidence dosages are confirmed by the F1, the `matchParent` for (only) the selected segtype is updated, as are the parental consensus scores.
- `bestParentfit`: the best fitting segtype that does not conflict with the parental consensus scores
- `frqInvalid_bestParentfit`, `Pvalue_bestParentfit`, `matchParent_bestParentfit`: same as the corresponding columns for `bestfit`. Note that `matchParent_bestParentfit` cannot be "No".
- `q1_segtypefit`: a value from 0 (bad) to 1 (good), a measure of the fit of the `bestParentfit` segtype based on `Pvalue`, `invalidP` and whether `bestfit` is equal to `bestParentfit`
- `q2_parents`: a value from 0 (bad) to 1 (good), based either on the quality of the parental scores (the number of missing scores and of conflicting scores, if `parentsScoredWithF1` is `TRUE`) or on `matchParents` (`No`=0, `Unknown`=0.65, `OneOK`=0.9, `Yes`=1, if `parentsScoredWithF1` is `FALSE`)

- q3\_frac scored: a value from 0 (bad) to 1 (good), based on the fraction of F1 samples that have a non-missing dosage score
- qall\_mult: a value from 0 (bad) to 1 (good), a summary quality score equal to the product  $q1 \cdot q2 \cdot q3$ . Equal to 0 if any of these is 0, hence sensitive to thresholds; a natural selection criterion would be to accept all markers with  $qall\_mult > 0$
- qall\_weights: a value from 0 (bad) to 1 (good), a weighted average of q1, q2 and q3, with weights as specified in parameter critweight. This column is present only if critweight is specified. In this case there is no "natural" threshold; a threshold for selection of markers must be obtained by inspecting XY-plots of markers over a range of qall\_weights values
- shift: if shiftmarkers is specified a column shift is added with for all markers the applied shift (for the unshifted markers the shift value is 0)

qall\_mult and/or qall\_weights can be used to compare the quality of the SNPs within one analysis and one F1 population but not between analyses or between different F1 populations.

If parameter showAll is TRUE there are 3 additional columns for each segtype with names frqInvalid\_<segtype>, Pvalue\_<segtype> and matchParent\_<segtype>; see the corresponding columns for bestfit for an explanation. These extra columns are inserted directly before the bestfit column.

## Examples

```
## Not run:
data("ALL_dosages")
chk1<-checkF1(input_type="discrete",dosage_matrix=ALL_dosages,parent1="P1",parent2="P2",
F1=setdiff(colnames(ALL_dosages),c("P1","P2")),polysomic=T,disomic=F,mixed=F,
ploidy=4)
data("gp_df")
chk1<-checkF1(input_type="probabilistic",probgeno_df=gp_df,parent1="P1",parent2="P2",
F1=setdiff(levels(gp_df$SampleName),c("P1","P2")),polysomic=T,disomic=F,mixed=F,
ploidy=4)

## End(Not run)
```

---

check\_map

*Check the quality of a linkage map*

---

## Description

Perform a series of checks on a linkage map and visualise the results using heatplots. The difference between the pairwise and multi-point  $r$  estimates are also plotted against the LOD of the pairwise estimate. The weighted root mean square error of these differences (weighted by the LOD scores) is printed on the console.

## Usage

```
check_map(
  linkage_list,
  maplist,
```

```

mapfn = "haldane",
lod.thresh = 5,
detail = 1,
plottype = c("", "pdf", "png")[1],
prefix = ""
)

```

### Arguments

linkage_list	A named list with r and LOD of markers within linkage groups.
maplist	A list of maps. In the first column marker names and in the second their position.
mapfn	The map function used in generating the maps, either one of "haldane" or "kosambi". By default "haldane" is assumed.
lod.thresh	Numeric. Threshold for the LOD values to be displayed in heatmap, by default 5 (set at 0 to display all values)
detail	Level of detail for heatmaps, by default 1 cM. Values less than 0.5 cM can have serious performance implications.
plottype	Option to specify graphical device for plotting, (either png or pdf), or by default "", in which case plots are directly plotted within R
prefix	Optional prefix appended to plot names if outputting plots.

### Examples

```

## Not run:
data("maplist_P1", "all_linkages_list_P1")
check_map(linkage_list = all_linkages_list_P1, maplist = maplist_P1)

## End(Not run)

```

---

check\_marker\_assignment

*Check for consistent marker assignment between both parents*

---

### Description

Function to ensure there is consistent marker assignment to chromosomal linkage groups for biparental markers

### Usage

```

check_marker_assignment(
  marker_assignment.P1,
  marker_assignment.P2,
  log = NULL,
  verbose = TRUE
)

```



**Arguments**

marker_assignment.P1	A marker assignment matrix for parent 1 with markernames as rownames and at least containing the column "Assigned_LG"; the output of <a href="#">homologue_lg_assignment</a> .
marker_assignment.P2	A marker assignment matrix for parent 2 with markernames as rownames and at least containing the column "Assigned_LG"; the output of <a href="#">homologue_lg_assignment</a> .
log	Character string specifying the log filename to which standard output should be written. If NULL (by default) log is send to stdout.
verbose	Should messages be sent to stdout or log?

**Value**

Returns a list of matrices with corrected marker assignments.

**Examples**

```
data("marker_assignments_P1"); data("marker_assignments_P2")
check_marker_assignment(marker_assignments_P1,marker_assignments_P2)
```

---

check_maxP	<i>check your dataset's maxP distribution</i>
------------	---

---

**Description**

Function to assess the distribution of maximum genotype probabilities (maxP), if these are available. The function plots a violin graph showing the distribution of the samples' maxP.

**Usage**

```
check_maxP(probgeno_df)
```

**Arguments**

probgeno_df	A data frame as read from the scores file produced by function <code>saveMarkerModels</code> of R package <code>fitPoly</code> , or alternatively, a data frame containing the following columns: <b>SampleName</b> Name of the sample (individual) <b>MarkerName</b> Name of the marker <b>P0</b> Probabilities of dosage score '0' <b>P1...</b> Probabilities of dosage score '1' etc. (up to max dosage, e.g. P4 for tetraploid population) <b>maxP</b> Maximum genotype probability identified for a particular individual and marker combination <b>maxgeno</b> Most probable dosage for a particular individual and marker combination <b>geno</b> Most probable dosage for a particular individual and marker combination, if maxP exceeds a user-defined threshold (e.g. 0.9), otherwise NA
-------------	--

**Value**

This function does not return any value, is simply a visualisation tool to help assess data quality.

**Examples**

```
data("gp_df")
check_maxP(gp_df)
```

---

 chk1
 

---



---

*Example output of the checkF1 function*


---

**Description**

Example output of the checkF1 function

**Usage**

```
chk1
```

**Format**

An object of class `list` of length 2.

---

 cluster\_per\_LG
 

---



---

*Cluster 1.0 markers into correct homologues per linkage group*


---

**Description**

Clustering at one LOD score for all markers does usually not result in correct classification of homologues. Usually there are more clusters of (pseudo)homologues than expected. This function lets you inspect every linkage group separately and allows for clustering at a different LOD threshold per LG.

**Usage**

```
cluster_per_LG(
  LG,
  linkage_df,
  LG_hom_stack,
  LOD_sequence,
  modify_LG_hom_stack = FALSE,
  nclust_out = NULL,
  network.layout = c("circular", "stacked", "n"),
  device = NULL,
  label.offset = 1,
```

```

    cex.lab = 0.7,
    log = NULL,
    ...
)

```

### Arguments

LG	Integer. Linkage group to investigate.
linkage_df	A data.frame as output of <a href="#">linkage</a> with arguments <code>markertype1 = c(1, 0)</code> and <code>markertype2=NULL</code> .
LG_hom_stack	A data.frame with columns "SxN_Marker" providing 1.0 markernames and "LG" and "homologue" providing linkage group and homologue respectively.
LOD_sequence	A numeric or vector of numerics giving LOD threshold(s) at which clustering should be performed.
modify_LG_hom_stack	Logical. Should LG_hom_stack be modified and returned?
nclust_out	Number of clusters in the output. If there are more clusters than this number only the nclust_out largest clusters are returned.
network.layout	Network layout: "circular" or "stacked". If "n" no network is plotted.
device	Function of the graphics device to plot to (e.g. <a href="#">pdf</a> , <a href="#">png</a> , <a href="#">jpeg</a> ). The active device is used when NULL
label.offset	Offset of labels. Only used if <code>network.layout="circular"</code> .
cex.lab	label character expansion. Only for <code>network.layout="circular"</code> .
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.
...	Arguments passed to device.

### Value

A modified LG\_hom\_stack data.frame if `modify_LG_hom_stack = TRUE`

### Examples

```

data("SN_SN_P2", "LGHomDf_P2_1")
#take only markers in coupling:
SN_SN_P2_coup1 <- SN_SN_P2[SN_SN_P2$phase=="coupling",]
cluster_per_LG(LG = 2,
               linkage_df=SN_SN_P2_coup1,
               LG_hom_stack=LGHomDf_P2_1,
               LOD_sequence=seq(4, 10, 2),
               modify_LG_hom_stack=FALSE,
               nclust_out=4,
               network.layout="circular",
               device=NULL,
               label.offset=1.2,
               cex.lab=0.75)

```

---

cluster\_SN\_markers      *Cluster 1.0 markers*

---

### Description

cluster\_SN\_markers clusters simplex nulliplex at different LOD scores.

### Usage

```
cluster_SN_markers(
  linkage_df,
  LOD_sequence = 7,
  independence_LOD = FALSE,
  LG_number,
  ploidy,
  parentname = "",
  plot_network = FALSE,
  min_clust_size = 1,
  plot_clust_size = TRUE,
  max_vertex_size = 5,
  min_vertex_size = 2,
  phase_considered = "All",
  log = NULL
)
```

### Arguments

linkage_df	A linkage data.frame as output of <a href="#">linkage</a> calculating linkage between 1.0 markers.
LOD_sequence	A numeric vector. Specifying a sequence of LOD thresholds at which clustering is performed.
independence_LOD	Logical. Should the LOD of independence be used for clustering? (by default, FALSE.)
LG_number	Expected number of chromosomes (linkage groups)
ploidy	Ploidy level of the parent for which clustering is to be performed
parentname	Name of parent
plot_network	Logical. Should a network be plotted. Recommended FALSE with large number of marker combinations.
min_clust_size	Integer. The minimum cluster size to be returned. By default, a minimum cluster size of 1 is used, meaning all markers are returned. Setting this to a higher number can be useful for cleaning out mini-clusters that don't show strong linkage to the rest of the marker set.
plot_clust_size	Logical. Should exact cluster size be plotted as vertex labels?

max_vertex_size	Integer. The maximum vertex size. Only used if plot_clust_size=FALSE.
min_vertex_size	Integer. The minimum vertex size. Only used if plot_clust_size=FALSE.
phase_considered	Character string. By default all phases are used, but "coupling" or "repulsion" are also allowed.
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout (console).

**Value**

A (named) list of cluster stacks, each of which is a data.frame with columns "marker" and "cluster"

**Examples**

```
data("SN_SN_P1")
cluster_list<-cluster_SN_markers(SN_SN_P1,LOD_sequence=c(4:10),parentname="P1",ploidy=4,LG_number=5)
```

---

compare_maps	<i>Compare linkage maps, showing links between connecting markers common to neighbouring maps</i>
--------------	---

---

**Description**

This function allows the visualisation of connections between different maps, showing them side by side.

**Usage**

```
compare_maps(
  maplist,
  chm.wd = 0.2,
  bg.col = "white",
  links.col = "grey42",
  thin.links = NULL,
  type = "karyotype",
  ...
)
```

**Arguments**

maplist	A list of maps. This is probably most conveniently built on-the-fly in the function call itself. If names are assigned to different maps (list items) these will appear above the maps. In cases of multiple comparisons, for example comparing 1 map of interest to 3 others, the map of interest can be supplied multiple times in the list, interspersed between the other maps. See the example below for details.
---------	--

chm.wd	The width in inches that linkage groups should be drawn. By default 0.2 inches is used.
bg.col	The background colour of the maps, by default white. It can be useful to use a different background colour for the maps. In this case, supply bg.col as a vector of colour identifiers, with the same length as maplist and corresponding to its elements in the same order. See the example below for details.
links.col	The colour with which links between maps are drawn, by default grey.
thin.links	Option to thin the plotting of links between maps, which might be useful if there are very many shared markers in a small genetic region. By default NULL, otherwise supply a value (in cM) for the minimum genetic distance between linking-lines (e.g. 0.5).
type	Plot type, by default "karyotype". If "scatter" is requested a scatter plot is drawn, but only if the comparison is between 2 maps.
...	option to supply arguments to the plot function (e.g. main = to add a title to the plot)

**Value**

NULL

**Examples**

```
data("map1", "map2", "map3")
compare_maps(maplist=list("1a"=map1, "c08"=map2, "1b"=map3), bg.col=c("thistle", "white", "skyblue"))
```

---

```
consensus_LG_assignment
      Consensus LG assignment
```

---

**Description**

Assign markers to an LG based on consensus between two parents.

**Usage**

```
consensus_LG_assignment(
  P1_assigned,
  P2_assigned,
  LG_number,
  ploidy,
  consensus_file = NULL,
  log = NULL
)
```

**Arguments**

P1_assigned	A marker assignment file of the first parent. Should contain the number of linkages per LG per marker.
P2_assigned	A marker assignment file of the second parent. Should be the same markertype as first parent and contain the number of linkages per LG per marker.
LG_number	Number of linkage groups (chromosomes).
ploidy	Ploidy level of plant species.
consensus_file	Filename of consensus output. No output is written if NULL.
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.

**Value**

Returns a list containing the following components:

P1_assigned	A (modified) marker assignment matrix of the first parent.
P2_assigned	A (modified) marker assignment matrix of the second parent.

**Examples**

```
data("P1_SxS_Assigned", "P2_SxS_Assigned_2")
SxS_Assigned_list <- consensus_LG_assignment(P1_SxS_Assigned,P2_SxS_Assigned_2,5,4)
```

---

consensus\_LG\_names      *Find consensus linkage group names*

---

**Description**

Chromosomes that should have same number, might have gotten different numbers between parents during clustering. consensus\_LG\_names uses markers present in both parents (usually 1.1 markers) to modify the linkage group numbers in one parent with the other as template

**Usage**

```
consensus_LG_names(
  modify_LG,
  template_SxS,
  modify_SxS,
  merge_LGs = TRUE,
  log = NULL
)
```

**Arguments**

modify_LG	A data.frame with markernames, linkage group ("LG") and homologue ("homologue"), in which the linkage group numbers will be modified
template_SxS	A file with assigned markers of which (at least) part is present in both parents of the template parent.
modify_SxS	A file with assigned markers of which (at least) part is present in both parents of the parent of which linkage group number are modified.
merge_LGs	Logical, by default TRUE. If FALSE, any discrepancy in the number of linkage groups will not be merged, but removed instead. This can be needed if the number of chromosomes identified is not equal between parents, and the user wishes to proceed with a core set.
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.

**Value**

A modified modified\_LG according to the template\_SxS linkage group numbering

**Examples**

```
data("LGHomDf_P2_2", "P1_SxS_Assigned", "P2_SxS_Assigned")
consensus_LGHomDf<-consensus_LG_names(LGHomDf_P2_2, P1_SxS_Assigned, P2_SxS_Assigned)
```

---

```
convert_marker_dosages
```

*Convert marker dosages to the basic types.*

---

**Description**

Convert marker dosages to the basic types which hold the same information and for which linkage calculations can be performed.

**Usage**

```
convert_marker_dosages(
  dosage_matrix,
  ploidy,
  ploidy2 = NULL,
  parent1 = "P1",
  parent2 = "P2",
  marker_conversion_info = FALSE,
  log = NULL
)
```



**Arguments**

dosage_matrix	An integer matrix with markers in rows and individuals in columns.
ploidy	ploidy level of the plant species. If parents have different ploidy level, ploidy of parent1.
ploidy2	ploidy level of the second parent. NULL if both parents have the same ploidy level.
parent1	Character string specifying the first (usually maternal) parentname.
parent2	Character string specifying the second (usually paternal) parentname.
marker_conversion_info	Logical, by default FALSE. Should marker conversion information be returned? This output can be useful for later map phasing step, if original marker coding is desired (which is most likely the case).
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.

**Value**

A modified dosage matrix. If marker\_conversion\_info = TRUE, this function returns a list, with both the converted dosage\_matrix, and information on the marker conversions performed per marker.

**Examples**

```
data("ALL_dosages")
conv<-convert_marker_dosages(dosage_matrix=ALL_dosages, ploidy = 4)
```

---

convert_polyRAD	<i>Convert (probabilistic) genotype calling results from polyRAD to input compatible with polymapR</i>
-----------------	--

---

**Description**

Convert (probabilistic) genotype calling results from polyRAD to input compatible with polymapR

**Usage**

```
convert_polyRAD(RADdata)
```

**Arguments**

RADdata	An RADdata (S3 class) object; output of the function <a href="#">PipelineMapping2Parents</a> having followed the prior steps needed in the polyRAD pipeline. See the polyRAD vignette for details.
---------	--

**Value**

A data frame which include columns: MarkerName, SampleName, P0 ~ Pploidy (e.g. P0 ~ P4 for tetraploid, which represents the probability assigning to this dosage), maxgeno (the most likely dosage), and maxP (the maximum probability)

**Examples**

```
data("exampleRAD_mapping")
convert_polyRAD(RADdata = exampleRAD_mapping)
```

---

convert_updog	<i>Convert (probabilistic) genotype calling results from updog to input compatible with polypmapR.</i>
---------------	--

---

**Description**

Convert (probabilistic) genotype calling results from updog to input compatible with polypmapR.

**Usage**

```
convert_updog(mout, output_type = "discrete", min_prob = 0.7)
```

**Arguments**

mout	An object of class multidog; output of the function <a href="#">multidog</a> .
output_type	Output genotypes can be either "discrete" or "probabilistic", defaults to discrete.
min_prob	If genotypes are being discretised, sets the minimum posterior probability in order to call a genotype with confidence. If maxpostprob < min_prob, that genotype is made missing. A default of 0.7 is suggested with no particular motivation.

**Value**

If output\_type is discrete, the function returns a dosage matrix with rownames given by marker names. Columns are organised as parent 1 genotype, parent 2 genotype and then F1 individuals. If output\_type is probabilistic, then the output is a data frame which include columns: MarkerName, SampleName, P0 ~ Pploidy (e.g. P0 ~ P4 for tetraploid, which represents the probability assigning to this dosage), maxgeno (the most likely dosage), and maxP (the maximum probability)

**Examples**

```
data("mout")
convert_updog(mout)
```

---

correctDosages	<i>Check if dosage scores may have to be shifted</i>
----------------	--

---

## Description

fitPoly sometimes uses a "shifted" model to assign dosage scores (e.g. all samples are assigned a dosage one higher than the true dosage). This happens mostly when there are only few dosages present among the samples. This function checks if a shift of +/-1 is possible.

## Usage

```
correctDosages(chk, dosage_matrix, parent1, parent2, ploidy,
               polysomic=TRUE, disomic=FALSE, mixed=FALSE,
               absent.threshold=0.04)
```

## Arguments

chk	data frame returned by function checkF1 when called without shiftmarkers
dosage_matrix	An integer matrix with markers in rows and individuals in columns.
parent1	character vector with names of the samples of parent 1
parent2	character vector with names of the samples of parent 2
ploidy	ploidy of parents and F1 (correctDosages must not be used for F1 populations where the parents have a different ploidy, or where the parental genotypes are not scored together with the F1); same as used in the call to checkF1 that generated data.frame chk
polysomic	if TRUE at least all polysomic segtypes are considered; if FALSE these are not specifically selected (but if e.g. disomic is TRUE, any polysomic segtypes that are also disomic will still be considered); same as used in the call to checkF1 that generated data.frame chk
disomic	if TRUE at least all disomic segtypes are considered (see param polysomic); same as used in the call to checkF1 that generated data.frame chk
mixed	if TRUE at least all mixed segtypes are considered (see param polysomic). A mixed segtype occurs when inheritance in one parent is polysomic (random chromosome pairing) and in the other parent disomic (fully preferential chromosome pairing); same as used in the call to checkF1 that generated data.frame chk
absent.threshold	the threshold for the fraction of ALL samples that has the dosage that is assumed to be absent due to mis-fitting of fitPoly; should be at least the assumed error rate of the fitPoly scoring assuming the fitted model is correct

**Details**

A shift of -1 (or +1) is proposed when (1) the fraction of all samples with dosage 0 (or ploidy) is below `absent.threshold`, (2) the `bestfit` (not `bestParentfit!`) `segtype` in `chk` has one empty dosage on the low (or high) side and more than one empty dosage at the high (or low) side, and (3) the shifted consensus parental dosages do not conflict with the shifted segregation type.

The returned `data.frame` (or a subset, e.g. based on the values in the `fracNotOk` and `parNA` columns) can serve as parameter `shiftmarkers` in a new call to `checkF1`.

Based on the quality scores assigned by `checkF1` to the original and shifted versions of each marker the user can decide if either or both should be kept. A `data.frame` combining selected rows of the original and shifted versions of the `checkF1` output (which may contain both a shifted and an unshifted version of some markers) can then be used as input to `compareProbes` or `writeDosagefile`.

**Value**

a data frame with columns

- `markername`
- `segtype`: the `bestfit` (not `bestParentfit!`) `segtype` from `chk`
- `parent1`, `parent2`: the consensus parental dosages; possibly low-confidence, so may be different from those reported in `chk`
- `shift`: -1, 0 or 1: the amount by which this marker should be shifted

The next fields are only calculated if `shift` is not 0:

- `fracNotOk`: the fraction of ALL samples that are in the dosage (0 or ploidy) that should be empty if the marker is indeed shifted.
- `parNA`: the number of parental dosages that is missing (0, 1 or 2)

---

`createTetraOriginInput`

*Create input files for TetraOrigin using an integrated linkage map list and marker dosage matrix*

---

**Description**

`createTetraOriginInput` is a function for creating an input file for TetraOrigin, combining map positions with marker dosages.

**Usage**

```
createTetraOriginInput(
  maplist,
  dosage_matrix,
  bin_size = NULL,
  bounds = NULL,
  remove_markers = NULL,
```

```

    outdir = "TetraOrigin",
    output_stem = "TetraOrigin_input",
    plot_maps = TRUE,
    log = NULL
)

```

## Arguments

maplist	A list of maps. In the first column marker names and in the second their position.
dosage_matrix	An integer matrix with markers in rows and individuals in columns. Either provide the unconverted dosages (i.e. before using the <a href="#">convert_marker_dosages</a> function), or converted dosages (i.e. screened data), in matrix form. The analysis and results are unaffected by this choice, but it may be simpler to understand the results if converted dosages are used. Conversely, it may be advantageous to use the original unconverted dosages if particular marker alleles are being tracked for (e.g.) the development of selectable markers afterwards.
bin_size	Numeric. Size (in cM) of the bins to include. If NULL (by default) then all markers are used (no binning).
bounds	Numeric vector. If NULL (by default) then all positions are included, however if specified then output is limited to a specific region, which is useful for later fine-mapping work.
remove_markers	Optional vector of marker names to remove from the maps. Default is NULL.
outdir	Output directory to which input files for TetraOrigin are written.
output_stem	Character prefix to add to the .csv output filename.
plot_maps	Logical. Plot the marker positions of the selected markers using <a href="#">plot_map</a> .
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.

## Examples

```

## Not run:
data("integrated.maplist", "ALL_dosages")
createTetraOriginInput(maplist=integrated.maplist, dosage_matrix=ALL_dosages, bin_size=10)
## End(Not run)

```

---

create\_phased\_maplist *Create a phased homologue map list using the original dosages*

---

## Description

create\_phased\_maplist is a function for creating a phased maplist, using integrated map positions and original marker dosages.

**Usage**

```

create_phased_maplist(
  input_type = "discrete",
  maplist,
  dosage_matrix.conv,
  dosage_matrix.orig = NULL,
  probgeno_df,
  chk,
  remove_markers = NULL,
  original_coding = FALSE,
  N_linkages = 2,
  lower_bound = 0.05,
  ploidy,
  ploidy2 = NULL,
  marker_assignment.1,
  marker_assignment.2,
  parent1 = "P1",
  parent2 = "P2",
  marker_conversion_info = NULL,
  log = NULL,
  verbose = TRUE
)

```

**Arguments**

input_type	Can be either one of 'discrete' or 'probabilistic'. For the former (default), at least dosage_matrix.conv must be supplied, while for the latter chk must be supplied.
maplist	A list of maps. In the first column marker names and in the second their position.
dosage_matrix.conv	Matrix of marker dosage scores with markers in rows and individuals in columns. Note that dosages must be in converted form, i.e. after having run the <a href="#">convert_marker_dosages</a> function. Errors may result otherwise.
dosage_matrix.orig	Optional, by default NULL. The unconverted dosages (i.e. raw dosage data before using the <a href="#">convert_marker_dosages</a> function). Required if original_coding is TRUE.
probgeno_df	Probabilistic genotypes, for description see e.g. <a href="#">gp_overview</a> . Required if probabilistic genotypes are used.
chk	Output list as returned by function <a href="#">checkF1</a> . Required if probabilistic genotypes are used.
remove_markers	Optional vector of marker names to remove from the maps. Default is NULL.
original_coding	Logical. Should the phased map use the original marker coding or not? By default FALSE.
N_linkages	Number of significant linkages (as defined in <a href="#">homologue_lg_assignment</a> ) required for high-confidence linkage group assignment.

lower_bound	Numeric. Lower bound for the rate at which homologue linkages (fraction of total for that marker) are recognised.
ploidy	Integer. Ploidy of the organism.
ploidy2	Optional integer, by default NULL. Ploidy of parent 2, if different from parent 1.
marker_assignment.1	A marker assignment matrix for parent 1 with markernames as rownames and at least containing the column "Assigned_LG".
marker_assignment.2	A marker assignment matrix for parent 2 with markernames as rownames and at least containing the column "Assigned_LG".
parent1	character vector with names of the samples of parent 1
parent2	character vector with names of the samples of parent 2
marker_conversion_info	One of the list elements (named 'marker_conversion_info') generated by the function <code>convert_marker_dosages</code> when the argument <code>marker_conversion_info</code> was set to TRUE (not the default, so a user will typically have to re-run this step first). Required if <code>original_coding</code> is TRUE.
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.
verbose	Logical, by default TRUE. Should details of the phasing process be given?

### Examples

```
## Not run:
data("integrated.maplist", "screened_data3", "marker_assignments_P1", "marker_assignments_P2")
create_phased_maplist(maplist = integrated.maplist,
                      dosage_matrix.conv = screened_data3,
                      marker_assignment.1=marker_assignments_P1,
                      marker_assignment.2=marker_assignments_P2,
                      ploidy = 4)
## End(Not run)
```

---

define\_LG\_structure     *Generate linkage group and homologue structure of SxN markers*

---

### Description

Function which organises the output of `cluster_SN_markers` into a data frame of numbered linkage groups and homologues. Only use this function if it is clear from the graphical output of `cluster_SN_markers` that there are LOD scores present which define both chromosomes (lower LOD) and homologues (higher LOD).

### Usage

```
define_LG_structure(cluster_list, LOD_chm, LOD_hom, LG_number, log = NULL)
```

**Arguments**

cluster_list	A list of cluster_stacks, the output of cluster_SN_markers.
LOD_chm	Integer. The LOD threshold specifying at which LOD score the markers divide into chromosomal groups
LOD_hom	Integer. The LOD threshold specifying at which LOD score the markers divide into homologue groups
LG_number	Integer. Expected number of chromosomes (linkage groups). Note that if this number of clusters are not present at LOD_chm, the function will abort.
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.

**Value**

A data.frame with markers classified by homologue and linkage group.

**Examples**

```
data("P1_homologues")
ChHomDf<-define_LG_structure(cluster_list=P1_homologues,LOD_chm=3.5,LOD_hom=5,LG_number=5)
```

---

exampleRAD_mapping	<i>Example output dataset of polyRAD::PipelineMapping2Parents function</i>
--------------------	--

---

**Description**

Example output dataset of polyRAD::PipelineMapping2Parents function

**Usage**

```
exampleRAD_mapping
```

**Format**

An object of class RADdata of length 23.



---

 finish\_linkage\_analysis

*Linkage analysis between all markertypes within a linkage group.*


---

### Description

finish\_linkage\_analysis is a wrapper for [linkage](#), or in the case of probabilistic genotypes, [linkage.gp](#). The function performs linkage calculations between all markertypes within a linkage group.

### Usage

```
finish_linkage_analysis(
  input_type = "discrete",
  marker_assignment,
  dosage_matrix,
  probgeno_df,
  chk,
  marker_combinations = NULL,
  parent1 = "P1",
  parent2 = "P2",
  which_parent = 1,
  ploidy,
  ploidy2 = NULL,
  convert_palindrome_markers = TRUE,
  pairing = "random",
  prefPars = c(0, 0),
  LG_number,
  verbose = TRUE,
  log = NULL,
  ...
)
```

### Arguments

input_type	Can be either one of 'discrete' or 'probabilistic'. For the former (default), dosage_matrix must be supplied, while for the latter probgeno_df and chk must be supplied.
marker_assignment	A marker assignment matrix with markernames as rownames and at least containing the column "Assigned_LG".
dosage_matrix	A named integer matrix with markers in rows and individuals in columns.
probgeno_df	A data frame as read from the scores file produced by function saveMarkerModels of R package fitPoly, or alternatively, a data frame containing the following columns: <b>SampleName</b> Name of the sample (individual)

	<b>MarkerName</b> Name of the marker
	<b>P0</b> Probabilities of dosage score '0'
	<b>P1...</b> Probabilities of dosage score '1' etc. (up to max dosage, e.g. P4 for tetraploid population)
	<b>maxP</b> Maximum genotype probability identified for a particular individual and marker combination
	<b>maxgeno</b> Most probable dosage for a particular individual and marker combination
	<b>geno</b> Most probable dosage for a particular individual and marker combination, if maxP exceeds a user-defined threshold (e.g. 0.9), otherwise NA
chk	Output list as returned by function <a href="#">checkF1</a> . This argument is only needed if probabilistic genotypes are used.
marker_combinations	A matrix with four columns specifying marker combinations to calculate linkage. If NULL all combinations are used for which there are rf functions. Dosages of markers should be in the same order as specified in the names of rf functions. E.g. if using 1.0_2.0 and 1.0_3.0 types use: <code>matrix(c(1,0,2,0,1,0,3,0), byrow = TRUE, ncol = 4)</code>
parent1	Character string specifying the identifier of parent 1, by default "P1"
parent2	Character string specifying the identifier of parent 2, by default "P2"
which_parent	Integer, either 1 or 2, with default 1, where 1 or 2 refers to parent1 or parent2 respectively.
ploidy	Integer ploidy level of parent1, and also by default parent2. Argument ploidy2 can be used if parental ploidies differ.
ploidy2	Integer, by default NULL. If parental ploidies differ, use this to specify the ploidy of parent2.
convert_palindrome_markers	Logical. Should markers that behave the same for both parents be converted to a workable format for that parent? E.g.: should 3.1 markers be converted to 1.3?
pairing	Type of pairing at meiosis, with options "random" or "preferential". By default, random pairing is assumed.
prefPars	The estimates for preferential pairing parameters for parent 1 and 2, in range $0 \leq p < 2/3$ . By default this is <code>c(0,0)</code> (so, no preferential pairing). See the function <a href="#">test_prefpairing</a> and the vignette for more details.
LG_number	Number of linkage groups (chromosomes).
verbose	Should messages be sent to stdout or log?
log	Character string specifying the log filename to which standard output should be written. If NULL log is sent to stdout.
...	(Other) arguments passed to <a href="#">linkage</a>

**Value**

Returns a matrix with marker assignments. Number of linkages of 1.0 markers are artificial.

**Examples**

```
## Not run:
data("screened_data3", "marker_assignments_P1")
linkages_list_P1<-finish_linkage_analysis(marker_assignment=marker_assignments_P1,
                                         dosage_matrix=screened_data3,
                                         parent1="P1",
                                         parent2="P2",
                                         which_parent=1,
                                         convert_palindrome_markers=FALSE,
                                         ploidy=4,
                                         pairing="random",
                                         LG_number=5)

## End(Not run)
```

---

get\_markertype\_combinations

*Visualize and get all markertype combinations for which there are functions in polymapR*

---

**Description**

Visualize and get all markertype combinations for which there are functions in polymapR

**Usage**

```
get_markertype_combinations(ploidy, pairing, nonavailable_combinations = TRUE)
```

**Arguments**

ploidy	Ploidy level
pairing	Type of pairing. Either "random" or "preferential".
nonavailable_combinations	Logical. Should nonavailable combinations be plotted with grey lines?

**Value**

A matrix with two columns. Each row represents a function with the first and second markertype.

**Examples**

```
get_markertype_combinations(ploidy = 4, pairing = "random")
```

---

gp_df	<i>An example of a genotype probability data frame</i>
-------	--

---

**Description**

An example of a genotype probability data frame

**Usage**

```
gp_df
```

**Format**

Data frame

---

gp_overview	<i>gp_overview</i>
-------------	--------------------

---

**Description**

Function to generate an overview of genotype probabilities across a population

**Usage**

```
gp_overview(probgeno_df, cutoff = 0.7, alpha = 0.1)
```

**Arguments**

probgeno_df	A data frame as read from the scores file produced by function saveMarkerModels of R package fitPoly, or equivalently, a data frame containing the following columns: <b>SampleName</b> Name of the sample (individual) <b>MarkerName</b> Name of the marker <b>P0</b> Probabilities of dosage score '0' <b>P1...</b> Probabilities of dosage score '1' etc. (up to max dosage, e.g. P4 for tetraploid population) <b>maxP</b> Maximum genotype probability identified for a particular individual and marker combination <b>maxgeno</b> Most probable dosage for a particular individual and marker combination <b>geno</b> Most probable dosage for a particular individual and marker combination, if maxP exceeds a user-defined threshold (e.g. 0.9), otherwise NA
-------------	--

cutoff	a filtering threshold, by default 0.7, to identify individuals with more than alpha non-missing (maximum) genotype probabilities falling below this cut-off. In other words, by using this default settings (cutoff = 0.7 and alpha = 0.1), you require that 90 in one of the possible genotype dosage classes. This can help identify problematic individuals with many examples of diffuse genotype calls. Lowering the threshold allows more diffuse calls to be accepted.
alpha	Option to specify the quantile of an individuals' scores that will be used to test against cutoff, by default 0.1.

**Value**

a list with the following elements:

**probgeno\_df** Input data, filtered based on chosen cutoff

**population\_overview** data.frame containing summary statistics of each individual's genotyping scores

**Examples**

```
## Not run:
data("gp_df")
gp_overview(gp_df)

## End(Not run)
```

---

gp\_vignette\_data      *A list of objects needed to build the probabilistic genotype vignette*

---

**Description**

A list of objects needed to build the probabilistic genotype vignette

**Usage**

```
gp_vignette_data
```

**Format**

An object of class list of length 15.

---

 homologue\_lg\_assignment

*Assign markers to linkage groups and homologues.*


---

### Description

This is a wrapper combining `linkage` (or `linkage_gp`) and `assign_linkage_group`. It is used to assign all marker types to linkage groups by using linkage information with 1.0 markers. It allows for input of marker assignments for which this analysis has already been performed.

### Usage

```
homologue_lg_assignment(
  input_type = "discrete",
  dosage_matrix,
  probgeno_df,
  chk,
  assigned_list,
  assigned_markertypes,
  SN_functions = NULL,
  LG_hom_stack,
  parent1 = "P1",
  parent2 = "P2",
  which_parent = 1,
  ploidy,
  ploidy2 = NULL,
  convert_palindrome_markers = TRUE,
  pairing = "random",
  LG_number,
  LOD_threshold = 3,
  write_intermediate_files = TRUE,
  log = NULL,
  ...
)
```

### Arguments

<code>input_type</code>	Can be either one of 'discrete' or 'probabilistic'. For the former (default), <code>dosage_matrix</code> must be supplied, while for the latter <code>probgeno_df</code> and <code>chk</code> must be supplied.
<code>dosage_matrix</code>	An integer matrix with markers in rows and individuals in columns.
<code>probgeno_df</code>	A data frame as read from the scores file produced by function <code>saveMarkerModels</code> of R package <code>fitPoly</code> , or alternatively, a data frame containing the following columns: <b>SampleName</b> Name of the sample (individual) <b>MarkerName</b> Name of the marker

	<b>P0</b> Probabilities of dosage score '0'
	<b>P1...</b> Probabilities of dosage score '1' etc. (up to max dosage, e.g. P4 for tetraploid population)
	<b>maxP</b> Maximum genotype probability identified for a particular individual and marker combination
	<b>maxgeno</b> Most probable dosage for a particular individual and marker combination
	<b>geno</b> Most probable dosage for a particular individual and marker combination, if maxP exceeds a user-defined threshold (e.g. 0.9), otherwise NA
chk	Output list as returned by function <a href="#">checkF1</a> . This argument is only needed if probabilistic genotypes are used.
assigned_list	List of <code>data.frames</code> with marker assignments for which the assignment analysis is already performed.
assigned_markertypes	List of integer vectors of length 2. Specifying the markertypes in the same order as <code>assigned_list</code> .
SN_functions	A vector of function names to be used. If NULL all remaining linkage functions with SN markers are used.
LG_hom_stack	A <code>data.frame</code> with <code>markernames</code> ("SxN_Marker"), linkage group ("LG") and homologue ("homologue")
parent1	A character string specifying name of parent1.
parent2	A character string specifying the name of parent2.
which_parent	Integer, either 1 or 2, with default 1, where 1 or 2 refers to parent1 or parent2 respectively.
ploidy	Ploidy level of parent 1. If parent 2 has the same ploidy level, then also the ploidy level of parent 2.
ploidy2	Integer, by default NULL. If parental ploidies differ, use this to specify the ploidy of parent 2. Note that in cross-ploidy situations, <code>ploidy2</code> must be smaller than <code>ploidy</code> .
convert_palindrome_markers	Logical. Should markers that behave the same for both parents be converted to a workable format for that parent? E.g.: should 3.1 markers be converted to 1.3?
pairing	Type of pairing. Either "random" or "preferential". By default random pairing is assumed.
LG_number	Expected number of chromosomes (linkage groups).
LOD_threshold	LOD threshold at which a linkage is considered significant.
write_intermediate_files	Logical. Write intermediate linkage files to working directory?
log	Character string specifying the log filename to which standard output should be written. If NULL log is sent to stdout.
...	Arguments passed to <a href="#">linkage</a>

**Value**

A data.frame specifying marker assignments to linkage group and homologue.

**Examples**

```
## Not run:
data("screened_data3", "P1_SxS_Assigned", "P1_DxN_Assigned", "LGHomDf_P1_1")
Assigned_markers<-homologue_lg_assignment(dosage_matrix = screened_data3,
                                         assigned_list = list(P1_SxS_Assigned, P1_DxN_Assigned),
                                         assigned_markertypes = list(c(1,1), c(2,0)),
                                         LG_hom_stack = LGHomDf_P1_1,ploidy=4,LG_number = 5,
                                         write_intermediate_files=FALSE)

## End(Not run)
```

---

integrated.maplist	<i>A nested list with integrated maps</i>
--------------------	---

---

**Description**

A nested list with integrated maps

**Usage**

```
integrated.maplist
```

**Format**

An object of class list of length 5.

---

LGHomDf_P1_1	<i>A data.frame specifying the assigned homologue and linkage group number per SxN marker</i>
--------------	---

---

**Description**

A data.frame specifying the assigned homologue and linkage group number per SxN marker

**Usage**

```
LGHomDf_P1_1
```

```
LGHomDf_P2_1
```

```
LGHomDf_P2_2
```



**Format**

- SxN\_Marker. Markername of simplex nulliplex marker
- homologue. Assigned homologue number
- LG Assigned. linkage group number

An object of class `data.frame` with 195 rows and 3 columns.

An object of class `data.frame` with 195 rows and 3 columns.

---

linkage	<i>Calculate recombination frequency, LOD and phase</i>
---------	---

---

**Description**

linkage is used to calculate recombination frequency, LOD and phase within one type of marker or between two types of markers.

**Usage**

```
linkage(
  dosage_matrix,
  markertype1 = c(1, 0),
  markertype2 = NULL,
  parent1 = "P1",
  parent2 = "P2",
  which_parent = 1,
  ploidy,
  ploidy2 = NULL,
  G2_test = FALSE,
  convert_palindrome_markers = TRUE,
  LOD_threshold = 0,
  pairing = "random",
  prefPars = c(0, 0),
  combinations_per_iter = NULL,
  iter_RAM = 500,
  ncores = 1,
  verbose = TRUE,
  full_output = FALSE,
  log = NULL
)
```

**Arguments**

`dosage_matrix` An integer matrix with markers in rows and individuals in columns.

`markertype1` A vector of length 2 specifying the first markertype to compare. The first element specifies the dosage in `which_parent` (see below), the second in the other parent.

markertype2	A vector of length 2 specifying the first markertype to compare. This argument is optional. If not specified, the function will calculate linkage within the markertype as specified by markertype1. The first element specifies the dosage in which_parent (see below), the second in the other parent.
parent1	Character string specifying the name of parent1 as provided in the column-names of dosage_matrix. By default, "P1".
parent2	Character string specifying the other parent as provided in the column-names of dosage_matrix. By default, "P2".
which_parent	Integer, either 1 or 2, with default 1, where 1 or 2 refers to parent1 or parent2 respectively. For example, if you wish to estimate linkage between markers with alleles that are polymorphic (i.e. segregating) and originates from parent1, then which_parent = 1. A bi-parental marker is a marker such as a 1x1 marker, so having a segregating allele in both parents. For linkage estimation between pairs of bi-parental markers, the result does not depend on this argument. For linkage estimation between e.g. a 1x0 and 1x1 marker, then which_parent should be 1. Similarly, to calculate linkage between 0x1 and 1x1 markers, which_parent should be 2.
ploidy	Integer. The ploidy of the parent 1. If parent2 has the same ploidy level, then also the ploidy level of parent 2.
ploidy2	Integer, by default NULL. If parental ploidies differ, use this to specify the ploidy of parent2.
G2_test	Apply a G2 test (LOD of independence) in addition to the LOD of linkage.
convert_palindrome_markers	Logical. Should markers that behave the same for both parents be converted to a workable format for that parent? E.g.: should 3.1 markers be converted to 1.3? If unsure, set to TRUE.
LOD_threshold	Minimum LOD score of linkages to report. Recommended to use for large number (> millions) of marker comparisons in order to reduce memory usage.
pairing	Type of chromosomal pairing behaviour during meiosis, either "random" or "preferential". By default, random pairing is assumed (i.e. polysomic inheritance) is assumed. Note that this default does not affect linkage estimation in a diploid, where pairing is arguably not random.
prefPars	The estimates for preferential pairing parameters for the target and other parent, respectively, in range $0 \leq p < 2/3$ . By default this is c(0,0) (so, no preferential pairing). See the function <a href="#">test_prefpairing</a> and the vignette for more details.
combinations_per_iter	Optional integer. Number of marker combinations per iteration.
iter_RAM	A (very) conservative estimate of working memory in megabytes used per core. It only takes the size frequency matrices into account. Actual usage is more, especially with large number of linkages that are reported. Reduce memory usage by using a higher LOD_threshold.
ncores	Number of cores to use. Works both for Windows and UNIX (using doParallel). Use <code>parallel::detectCores()</code> to find out how many cores you have available.
verbose	Should messages be sent to stdout?

full_output	Logical, by default FALSE. If TRUE, the complete output over all phases and showing marker combination counts is returned.
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.

### Value

Returns a data.frame with columns:

**marker\_a** first marker of comparison. If markertype2 is specified, it has the type of markertype1.

**marker\_b** second marker of comparison. It has the type of markertype2 if specified.

**r** (estimated) recombinations frequency

**LOD** (estimated) LOD score

**phase** phase between markers

### Examples

```
data("screened_data3")
SN_SN_P1 <- linkage(dosage_matrix = screened_data3,
  markertype1 = c(1,0),
  which_parent = 1,
  ploidy = 4,
  pairing = "random",
  ncores = 1
)
```

---

linkage.gp	<i>Calculate recombination frequency, LOD and phase using genotype probabilities</i>
------------	--

---

### Description

linkage.gp is used to calculate recombination frequency, LOD and phase within one type of marker or between two types of markers.

### Usage

```
linkage.gp(
  probgeno_df,
  chk,
  pardose = NULL,
  markertype1 = c(1, 0),
  markertype2 = NULL,
  target_parent = match.arg(c("P1", "P2")),
  G2_test = FALSE,
  LOD_threshold = 0,
  prefPars = c(0, 0),
```

```

combinations_per_iter = NULL,
iter_RAM = 500,
ncores = 2,
verbose = TRUE,
check_qall_mult = FALSE,
method = "approx",
log = NULL
)

```

## Arguments

probgeno_df	<p>A data frame as read from the scores file produced by function <code>saveMarkerModels</code> of R package <code>fitPoly</code>, or alternatively, a data frame containing the following columns:</p> <p><b>SampleName</b> Name of the sample (individual)</p> <p><b>MarkerName</b> Name of the marker</p> <p><b>P0</b> Probabilities of dosage score '0'</p> <p><b>P1...</b> Probabilities of dosage score '1' etc. (up to max dosage, e.g. P4 for tetraploid population)</p> <p><b>maxP</b> Maximum genotype probability identified for a particular individual and marker combination</p> <p><b>maxgeno</b> Most probable dosage for a particular individual and marker combination</p> <p><b>geno</b> Most probable dosage for a particular individual and marker combination, if <code>maxP</code> exceeds a user-defined threshold (e.g. 0.9), otherwise NA</p>
chk	Output list as returned by function <code>checkF1</code>
pardose	Option to include the most likely (discrete) parental dosage scores, used mainly for internal calls of this function. By default NULL
markertype1	A vector of length 2 specifying the first markertype to compare. The first element specifies the dosage in <code>target_parent</code> (and the second in the other parent).
markertype2	A vector of length 2 specifying the first markertype to compare. This argument is optional. If not specified, the function will calculate linkage within the markertype as specified by <code>markertype1</code> . The first element specifies the dosage in <code>target_parent</code> (and the second in the other parent).
target_parent	Which parent is being targeted (only acceptable options are "P1" or "P2"), ie. which parent is of specific interest? If this is the maternal parent, please specify as "P1". If the paternal parent, please use "P2". The actual identifiers of the two parents are entered using the arguments <code>parent1_replicates</code> and <code>parent2_replicates</code> .
G2_test	Apply a G2 test (LOD of independence) in addition to the LOD of linkage.
LOD_threshold	Minimum LOD score of linkages to report. Recommended to use for large number (> millions) of marker comparisons in order to reduce memory usage.
prefPars	The estimates for preferential pairing parameters for parent 1 and 2, in range $0 \leq p < 2/3$ . By default this is <code>c(0,0)</code> (so, no preferential pairing). See the function <code>test_preferential</code> and the vignette for more details.

combinations_per_iter	Optional integer. Number of marker combinations per iteration.
iter_RAM	A (very) conservative estimate of working memory in megabytes used per core. It only takes the size frequency matrices into account. Actual usage is more, especially with large number of linkages that are reported. Reduce memory usage by using a higher LOD_threshold.
ncores	Number of cores to use. Works both for Windows and UNIX (using doParallel). Use parallel::detectCores() to find out how many cores you have available.
verbose	Should messages be sent to stdout?
check_qall_mult	Check the qall_mult column of chk, and filter out markers with qall_mult = 0. By default FALSE.
method	Either "approx" or "mappoly". If "approx" (the default method), then an approximated estimator is used which introduces a small amount of bias in the estimator of recombination frequency. If method "mappoly" is specified, the full likelihood is used in the estimation, leading to an unbiased estimator (this has been implemented in the mappoly package of Marcelo Mollinari). The mappoly method has higher computational demands which may introduce problems for larger datasets, but will lead to higher accuracy overall.
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.

### Value

Returns a data.frame with columns:

**marker\_a:** first marker of comparison. If markertype2 is specified, it has the type of markertype1.

**marker\_b:** second marker of comparison. It has the type of markertype2 if specified.

**r:** recombination frequency

**LOD:** LOD score associated with r

**phase:** phase between markers

### Examples

```
data("gp_df", "chk1")
SN_SN_P1.gp <- linkage.gp(probgeno_df = gp_df,
  chk = chk1,
  markertype1 = c(1,0),
  target_parent = "P1")
```

---

map1	<i>A sample map</i>
------	---------------------

---

**Description**

A sample map

**Usage**

map1

**Format**

An object of class data.frame with 100 rows and 2 columns.

---

map2	<i>A sample map</i>
------	---------------------

---

**Description**

A sample map

**Usage**

map2

**Format**

An object of class data.frame with 100 rows and 2 columns.

---

map3	<i>A sample map</i>
------	---------------------

---

**Description**

A sample map

**Usage**

map3

**Format**

An object of class data.frame with 60 rows and 2 columns.

---

maplist_P1	<i>A list of maps of one parent</i>
------------	-------------------------------------

---

**Description**

A list of maps of one parent

**Usage**

```
maplist_P1
```

```
maplist_P1_subset
```

```
maplist_P2_subset
```

**Format**

An object of class list of length 5.

An object of class list of length 5.

An object of class list of length 5.

---

marker_binning	<i>Perform binning of markers.</i>
----------------	------------------------------------

---

**Description**

marker\_binning allows for binning of very closely linked markers and chooses one representative.

**Usage**

```
marker_binning(  
  dosage_matrix,  
  linkage_df,  
  r_thresh = NA,  
  lod_thresh = NA,  
  target_parent = "P1",  
  other_parent = "P2",  
  max_marker_nr = NULL,  
  max_iter = 10,  
  log = NULL  
)
```

**Arguments**

dosage_matrix	A dosage matrix.
linkage_df	A linkage data.frame.
r_thresh	Numeric. Threshold at which markers are binned. Is calculated if NA.
lod_thresh	Numeric. Threshold at which markers are binned. Is calculated if NA.
target_parent	A character string specifying the name of the target parent.
other_parent	A character string specifying the name of the other parent.
max_marker_nr	The maximum number of markers per homologue. If specified, LOD threshold is optimized based on this number.
max_iter	Maximum number of iterations to find optimum LOD threshold. Only used if max_marker_nr is specified.
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.

**Value**

A list with the following components:

binned_df	A linkage data.frame with binned markers removed.
removed	A data.frame containing binned markers and their representatives.
left	Integer. Number markers left.

**Examples**

```
data("screened_data3", "all_linkages_list_P1_split")
binned_markers<-marker_binning(screened_data3, all_linkages_list_P1_split[["LG2"]][["homologue3"]])
```

---

marker\_data\_summary     *Summarize marker data*

---

**Description**

Gives a frequency table of different markertypes, relative frequency per markertype of incompatible offspring and the names of incompatible progeny.

**Usage**

```
marker_data_summary(
  dosage_matrix,
  ploidy,
  ploidy2 = NULL,
  pairing = c("random", "preferential"),
  parent1 = "P1",
  parent2 = "P2",
```



```

    progeny_incompat_cutoff = 0.1,
    verbose = TRUE,
    shortform = FALSE,
    log = NULL
)

```

## Arguments

dosage_matrix	An integer matrix with markers in rows and individuals in columns.
ploidy	Integer. Ploidy of parent 1, and .
ploidy2	Ploidy of parent 2, by default NULL, as it is assumed ploidy2 equals ploidy.
pairing	Type of pairing. "random" or "preferential".
parent1	Column name of first parent. Usually maternal parent.
parent2	Column name of second parent. Usually paternal parent.
progeny_incompat_cutoff	The relative number of incompatible dosages per genotype that results in reporting this genotype as incompatible. Incompatible dosages are greater than maximum number of alleles than can be inherited or smaller than the minimum number of alleles that can be inherited.
verbose	Logical, by default TRUE - should intermediate messages be written to stout?
shortform	Logical, by default FALSE. Returns only a shortened output with parental dosage summary, used internally by some functions.
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.

## Value

Returns a list containing the following components:

parental_info	frequency table of different markertypes. Names start with parentnames, and behind that the dosage score.
offspring_incompatible	Rate of incompatible ("impossible") marker scores (given as percentages of the total number of observed marker scores per marker class)
progeny_incompatible	progeny names having incompatible dosage scores higher than threshold at progeny_incompat_cutoff.

## Examples

```

data("ALL_dosages")
summary_list<-marker_data_summary(dosage_matrix = ALL_dosages, ploidy = 4)

```

---

MDSMap_from_list	<i>Wrapper function for MDSMap to generate linkage maps from list of pairwise linkage estimates</i>
------------------	---

---

## Description

Create multidimensional scaling maps from a list of linkages

## Usage

```
MDSMap_from_list(
  linkage_list,
  write_to_file = FALSE,
  mapdir = "mapping_files_MDSMap",
  plot_prefix = "",
  log = NULL,
  ...
)
```

## Arguments

linkage_list	A named list with r and LOD of markers within linkage groups.
write_to_file	Should output be written to a file? By default FALSE, if TRUE then output, including plots from MDSMap are saved in the same directory as the one used for input files. These plots are currently saved as pdf images. If a different plot format is required (e.g. for publications), then run the MDSMap function <a href="#">estimate.map</a> (or similar) directly and save the output with a different plotting function as wrapper around the map function call.
mapdir	Directory to which map input files are initially written. Also used for output if write_to_file=TRUE
plot_prefix	prefix for the filenames of output plots.
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.
...	Arguments passed to <a href="#">estimate.map</a> .

## Examples

```
## Not run:
data("all_linkages_list_P1")
maplist_P1 <- MDSMap_from_list(all_linkages_list_P1[1])

## End(Not run)
```

---

merge_homologues	<i>Merge homologues</i>
------------------	-------------------------

---

**Description**

Based on additional information, homologue fragments, separated during clustered should be merged again. merge\_homologues allows to merge homologues per linkage group based on user input.

**Usage**

```
merge_homologues(LG_hom_stack, ploidy, LG, mergeList = NULL, log = NULL)
```

**Arguments**

LG_hom_stack	A data.frame with markernames, linkage group ("LG") and homologue ("homologue")
ploidy	The ploidy level of the plant species.
LG	The linkage group where the to be merged homologue fragments are in.
mergeList	A list of vectors of length 2, specifying the numbers of the homologue fragments to be merged. User input is asked if NULL.
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.

**Value**

A modified LG\_hom\_stack

**Examples**

```
data("LGHomDf_P2_1")
merged<-merge_homologues(LGHomDf_P2_1,ploidy=4,LG=2,mergeList=list(c(1,5)))
```

---

mout	<i>Example output dataset of updog::multidog function</i>
------	---

---

**Description**

Example output dataset of updog::multidog function

**Usage**

```
mout
```

**Format**

An object of class multidog of length 2.

## Description

overviewSNlinks is written to enable merging of homologue fractions. Fractions of homologues will have more markers in coupling than in repulsion, whereas separate homologues will only have markers in repulsion.

## Usage

```
overviewSNlinks(  
  linkage_df,  
  LG_hom_stack,  
  LG,  
  LOD_threshold,  
  ymax = NULL,  
  log = NULL  
)
```

## Arguments

linkage_df	A data.frame as output of <code>linkage</code> with arguments <code>markertype1=c(1,0)</code> and <code>markertype2=NULL</code> .
LG_hom_stack	A data.frame with a column "SxN_Marker" specifying markernames, a column "homologue" specifying homologue cluster and "LG" specifying linkage group.
LG	Integer. Linkage group number of interest.
LOD_threshold	Numeric. LOD threshold of linkages which are plotted.
ymax	Maximum y-limit of the plots.
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.

## Examples

```
data("SN_SN_P1", "LGHomDf_P1_1")  
overviewSNlinks(linkage_df=SN_SN_P1,  
  LG_hom_stack=LGHomDf_P1_1,  
  LG=5,  
  LOD_threshold=3)
```

---

P1_homologues	<i>A list of cluster stacks at different LOD scores</i>
---------------	---

---

**Description**

A list of cluster stacks at different LOD scores

**Usage**

P1\_homologues

P2\_homologues

P2\_homologues\_triploid

**Format**

A list with with LOD thresholds as names. The list contains dataframes with the following format:

- marker. markername
- pseudohomologue. name of (pseudo)homologue

An object of class list of length 10.

An object of class list of length 15.

---

P1_SxS_Assigned	<i>A data.frame with marker assignments</i>
-----------------	---

---

**Description**

A data.frame with marker assignments

**Usage**

P1\_SxS\_Assigned

P2\_SxS\_Assigned

P2\_SxS\_Assigned\_2

P1\_DxN\_Assigned

P2\_DxN\_Assigned

marker\_assignments\_P1

marker\_assignments\_P2

**Format**

A data.frame with at least the following columns:

- Assigned\_LG. The assigned linkage group
- Assigned\_hom1. The homologue with most linkages

The columns LG1 - LGn and Hom1 - Homn give the number of hits per marker for that linkage group/homologue. Assigned\_hom2 .. gives the nth homologue with most linkages.

An object of class `matrix` (inherits from `array`) with 301 rows and 14 columns.

An object of class `matrix` (inherits from `array`) with 301 rows and 14 columns.

An object of class `matrix` (inherits from `array`) with 111 rows and 14 columns.

An object of class `matrix` (inherits from `array`) with 101 rows and 14 columns.

An object of class `matrix` (inherits from `array`) with 1094 rows and 16 columns.

An object of class `matrix` (inherits from `array`) with 1127 rows and 16 columns.

---

p4_functions	<i>Calculate recombination frequency, LOD and log-likelihood from frequency tables in a preferential pairing tetraploid</i>
--------------	---

---

**Description**

This group of functions is called by [linkage](#).

**Arguments**

x	A frequency table of the different classes of dosages in the progeny. The column names start with "n_". Followed by the dosage of the first marker and then of the second.
p1	Preferential pairing parameter for parent 1, numeric value in range $0 \leq p1 < 2/3$
p2	Preferential pairing parameter for parent 2, numeric value in range $0 \leq p2 < 2/3$
ncores	Number of cores to use for parallel processing (deprecated).

**Value**

A list with the following items:

r_mat	A matrix with recombination frequencies for the different phases
LOD_mat	A matrix with LOD scores for the different phases
logL_mat	A matrix with log likelihood ratios for the different phases
phasing_strategy	A character string specifying the phasing strategy. "MLL" for maximum likelihood en "MINR" for minimum recombination frequency.

possible\_phases

The phases between markers that are possible. Same order and length as column names of output matrices.

---

parental\_quantities    *Calculate frequency of each markertype.*

---

### Description

Plots and returns frequency information for each markertype.

### Usage

```
parental_quantities(  
  dosage_matrix,  
  parent1 = "P1",  
  parent2 = "P2",  
  log = NULL,  
  ...  
)
```

### Arguments

`dosage_matrix`    An integer matrix with markers in rows and individuals in columns.

`parent1`          Character string specifying the first (usually maternal) parentname.

`parent2`          Character string specifying the second (usually paternal) parentname.

`log`                Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.

`...`                Arguments passed to [barplot](#)

### Value

A named vector containing the frequency of each markertype in the dataset.

### Examples

```
data("ALL_dosages", "screened_data")  
parental_quantities(dosage_matrix=ALL_dosages)  
parental_quantities(dosage_matrix=screened_data)
```

---

PCA_progeny	<i>Perform a PCA on progeny</i>
-------------	---------------------------------

---

**Description**

Principal component analysis in order to identify individuals that deviate from the population.

**Usage**

```
PCA_progeny(dosage_matrix, highlight = NULL, colors = NULL, log = NULL)
```

**Arguments**

dosage_matrix	An integer matrix with markers in rows and individuals in columns.
highlight	A list of character vectors specifying individual names that should be highlighted
colors	Highlight colors. Vector of the same length as highlight.
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.

**Details**

Missing values are imputed by taking the mean of marker dosages per marker.

**Examples**

```
data("ALL_dosages")
PCA_progeny(dosage_matrix=ALL_dosages, highlight=list(c("P1", "P2")), colors="red")
```

---

phased.maplist	<i>A list of phased maps</i>
----------------	------------------------------

---

**Description**

A list of phased maps

**Usage**

```
phased.maplist
```

**Format**

An object of class `list` of length 5.



---

phase\_SN\_diploid      *Phase 1.0 markers at the diploid level*

---

### Description

phase\_SN\_diploid phases simplex x nulliplex markers for a diploid parent.

### Usage

```
phase_SN_diploid(
  linkage_df,
  cluster_list,
  LOD_chm = 3.5,
  LG_number,
  independence_LOD = FALSE,
  log = NULL
)
```

### Arguments

linkage_df	A linkage data.frame as output of <code>linkage</code> calculating linkage between 1.0 markers.
cluster_list	A list of cluster_stacks, the output of <code>cluster_SN_markers</code> .
LOD_chm	Integer. The LOD threshold specifying at which LOD score the markers divide into chromosomal groups
LG_number	Expected number of chromosomes (linkage groups)
independence_LOD	Logical. Should the LOD of independence be used for clustering? (by default, FALSE.)
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout (console).

### Value

A data.frame with markers classified by homologue and linkage group.

### Examples

```
data("SN_SN_P2_triploid", "P2_homologues_triploid")
cluster_list2<-phase_SN_diploid(SN_SN_P2_triploid,P2_homologues_triploid,LOD_chm=5,LG_number = 3)
```

---

plot\_hom\_vs\_LG                      *Plot homologue position versus integrated positions*

---

**Description**

Plot homologue position versus integrated positions

**Usage**

```
plot_hom_vs_LG(map_df, maplist_homologue)
```

**Arguments**

map\_df                      A dataframe of a map that defines a linkage group.  
maplist\_homologue                      A list of maps where each item represents a homologue.

**Examples**

```
data("integrated.maplist", "maplist_P1_subset")
colnames(integrated.maplist[["LG2"]]) <- c("marker", "position", "QTL_LOD")
plot_hom_vs_LG(map_df = integrated.maplist[["LG2"]],
               maplist_homologue = maplist_P1_subset[["LG2"]])
```

---

plot\_map                              *Plot linkage maps*

---

**Description**

Makes a simple plot of a list of generated linkage maps

**Usage**

```
plot_map(
  maplist,
  highlight = NULL,
  bg_col = "grey",
  highlight_col = "yellow",
  colname_in_mark = NULL,
  colname_beside_mark = NULL,
  palette_in_mark = colorRampPalette(c("white", "purple")),
  palette_beside_mark = colorRampPalette(c("white", "green")),
  color_by_type = FALSE,
  dosage_matrix = NULL,
  parent1 = "P1",
  parent2 = "P2",
```

```

    legend = FALSE,
    ...,
    legend.args = list(x = 1, y = 120)
)

```

### Arguments

maplist	A list of maps. In the first column marker names and in the second their position.
highlight	A list of the same length of maplist with vectors of length 2 that specifies the limits in cM from and to which the plotted chromosomes should be highlighted.
bg_col	The background colour of the map.
highlight_col	The color of the highlight. Only used if highlight is specified.
colname_in_mark	Optional. The column name of the value to be plotted as marker color.
colname_beside_mark	Optional. The column name of the value to be plotted beside the markers.
palette_in_mark, palette_beside_mark	Color palette used to plot values. Only used if colnames of the values are specified.
color_by_type	Logical. Should the markers be coloured by type? If TRUE, dosage_matrix should be specified.
dosage_matrix	Optional (by default NULL). Dosage matrix of marker genotypes, input of <a href="#">linkage</a>
parent1	Character string specifying the first (usually maternal) parentname.
parent2	Character string specifying the second (usually paternal) parentname.
legend	Logical. Should a legend be drawn?
...	Arguments passed to <a href="#">plot</a>
legend.args	Optional extra arguments to pass to <a href="#">legend</a> , by default a list with x = 1 and y = 120 (position of the legend). Additional arguments should be passed using name = value, i.e. as a named list. Note that arguments lty (= 1) and lwd (= 2) have already been used internally (as well as legend and col), so cannot be re-specified without causing an error.

### Examples

```

data("maplist_P1")
plot_map(maplist = maplist_P1, colname_in_mark = "nnfit", bg_col = "white",
         palette_in_mark = colorRampPalette(c("blue", "purple", "red")),
         highlight = list(c(20, 60),
                          c(60, 80),
                          c(20, 30),
                          c(40, 70),
                          c(60, 80)))

```

---

plot\_phased\_maplist     *Visualise the phased homologue maplist*

---

### Description

plot\_phased\_maplist is a function for visualising a phased maplist, the output of [create\\_phased\\_maplist](#)

### Usage

```
plot_phased_maplist(
  phased.maplist,
  ploidy,
  ploidy2 = NULL,
  cols = c("black", "darkred", "navyblue"),
  width = 0.2,
  mapTitles = NULL
)
```

### Arguments

`phased.maplist` A list of phased linkage maps, the output of [create\\_phased\\_maplist](#)

`ploidy` Integer. Ploidy of the organism.

`ploidy2` Optional integer, by default NULL. Ploidy of parent 2, if different from parent 1.

`cols` Vector of colours for the integrated, parent1 and parent2 maps, respectively.

`width` Width of the linkage maps, by default 0.2

`mapTitles` Optional vector of titles for maps, by default names of maplist, or titles LG1, LG2 etc. are used.

### Examples

```
data("phased.maplist")
plot_phased_maplist(phased.maplist, ploidy = 4)
```

---

r2\_functions     *Calculate recombination frequency, LOD and log-likelihood from frequency tables in a random pairing diploid cross.*

---

### Description

This group of functions is called by [linkage](#).

**Usage**

```
r2_1.0_1.0(x, ncores = 1)
```

```
r2_1.0_1.1(x, ncores = 1)
```

```
r2_1.1_1.1(x, ncores = 1)
```

**Arguments**

**x** A frequency table of the different classes of dosages in the progeny. The column names start with "n\_". Followed by the dosage of the first marker and then of the second.

**ncores** Number of cores to use for parallel processing (deprecated).

**Value**

A list with the following items:

**r\_mat** A matrix with recombination frequencies for the different phases

**LOD\_mat** A matrix with LOD scores for the different phases

**logL\_mat** A matrix with log likelihood ratios for the different phases

**phasing\_strategy** A character string specifying the phasing strategy. "MLL" for maximum likelihood en "MINR" for minimum recombination frequency.

**possible\_phases** The phases between markers that are possible. Same order and length as column names of output matrices.

---

r3_functions	<i>Calculate recombination frequency, LOD and log-likelihood from frequency tables in a random pairing triploid from a 4x2 or 2x4 cross.</i>
--------------	--

---

**Description**

This group of functions is called by [linkage](#).

**Usage**

```
r3_2_1.0_1.0(x, ncores = 1)
```

```
r3_2_1.0_1.1(x, ncores = 1)
```

```
r3_2_1.0_1.2(x, ncores = 1)
```

```
r3_2_1.2_1.2(x, ncores = 1)
```

**Arguments**

x	A frequency table of the different classes of dosages in the progeny. The column names start with "n_". Followed by the dosage of the first marker and then of the second.
ncores	Number of cores to use for parallel processing (deprecated).

**Value**

A list with the following items:

r_mat	A matrix with recombination frequencies for the different phases
LOD_mat	A matrix with LOD scores for the different phases
logL_mat	A matrix with log likelihood ratios for the different phases
phasing_strategy	A character string specifying the phasing strategy. "MLL" for maximum likelihood en "MINR" for minimum recombination frequency.
possible_phases	The phases between markers that are possible. Same order and length as column names of output matrices.

---

r4_functions	<i>Calculate recombination frequency, LOD and log-likelihood from frequency tables in a random pairing tetraploid</i>
--------------	---

---

**Description**

This group of functions is called by [linkage](#).

**Arguments**

x	A frequency table of the different classes of dosages in the progeny. The column names start with "n_". Followed by the dosage of the first marker and then of the second.
ncores	Number of cores to use for parallel processing (deprecated).

**Value**

A list with the following items:

r_mat	A matrix with recombination frequencies for the different phases
LOD_mat	A matrix with LOD scores for the different phases
logL_mat	A matrix with log likelihood ratios for the different phases
phasing_strategy	A character string specifying the phasing strategy. "MLL" for maximum likelihood en "MINR" for minimum recombination frequency.

possible_phases	The phases between markers that are possible. Same order and length as column names of output matrices.
-----------------	---

---

r6_functions	<i>Calculate recombination frequency, LOD and log-likelihood from frequency tables in a random pairing hexaploid</i>
--------------	--

---

## Description

This group of functions is called by [linkage](#).

## Arguments

x	A frequency table of the different classes of dosages in the progeny. The column names start with "n_". Followed by the dosage of the first marker and then of the second.
---	--

## Value

A list with the following items:

r_mat	A matrix with recombination frequencies for the different phases
LOD_mat	A matrix with LOD scores for the different phases
logL_mat	A matrix with log likelihood ratios for the different phases
phasing_strategy	A character string specifying the phasing strategy. "MLL" for maximum likelihood en "MINR" for minimum recombination frequency.
possible_phases	The phases between markers that are possible. Same order and length as column names of output matrices.

---

r_LOD_plot	<i>Plot r versus LOD</i>
------------	--------------------------

---

## Description

r\_LOD\_plot plots r versus LOD, colour separated for different phases.

## Usage

```
r_LOD_plot(
  linkage_df,
  plot_main = "",
  chm = NA,
  r_max = 0.5,
  tidyplot = TRUE,
  nbins = 200
)
```

**Arguments**

linkage_df	A linkage data.frame as output of <code>linkage</code> .
plot_main	A character string specifying the main title
chm	Integer specifying chromosome
r_max	Maximum r value to plot
tidyplot	If TRUE (by default), an attempt is made to reduce the plot density using hexagonal binning from the <code>ggplot2</code> package. This is recommended for large datasets, where the number of pairwise estimates becomes high.
nbins	The number of bins in each direction, passed to <code>ggplot2::geom_hex</code> . Only used if <code>tidyplot = TRUE</code> . Increasing this number can lead to slower but more accurate plotting.

**Examples**

```
data("SN_SN_P1")
r_LOD_plot(SN_SN_P1)
```

---

```
screen_for_duplicate_individuals
```

*Screen for duplicate individuals*

---

**Description**

`screen_for_duplicate_individuals` identifies and merges duplicate individuals.

**Usage**

```
screen_for_duplicate_individuals(
  dosage_matrix,
  cutoff = NULL,
  plot_cor = TRUE,
  log = NULL
)
```

**Arguments**

dosage_matrix	An integer matrix with markers in rows and individuals in columns.
cutoff	Correlation coefficient cut off. At this correlation coefficient, individuals are merged. If NULL user input will be asked after plotting.
plot_cor	Logical. Should correlation coefficients be plotted? Can be memory/CPU intensive with high number of individuals.
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.



**Value**

A matrix similar to dosage\_matrix, with merged duplicate individuals.

**Examples**

```
## Not run:
#user input:
data("segregating_data")
screen_for_duplicate_individuals(dosage_matrix=segregating_data,cutoff=0.9,plot_cor=TRUE)

## End(Not run)
```

---

```
screen_for_duplicate_individuals.gp
```

*Screen for duplicate individuals using weighted genotype probabilities*

---

**Description**

screen\_for\_duplicate\_individuals.gp identifies and merges duplicate individuals based on probabilistic genotypes. See [screen\\_for\\_duplicate\\_individuals](#) for the original function.

**Usage**

```
screen_for_duplicate_individuals.gp(
  probgeno_df,
  ploidy,
  parent1 = "P1",
  parent2 = "P2",
  F1,
  cutoff = 0.95,
  plot_cor = TRUE,
  log = NULL
)
```

**Arguments**

**probgeno\_df** A data frame as read from the scores file produced by function saveMarkerModels of R package fitPoly, or alternatively, a data frame containing the following columns:

**SampleName** Name of the sample (individual)

**MarkerName** Name of the marker

**P0** Probabilities of dosage score '0'

**P1...** Probabilities of dosage score '1' etc. (up to max dosage, e.g. P4 for tetraploid population)

**maxP** Maximum genotype probability identified for a particular individual and marker combination

	<b>maxgeno</b> Most probable dosage for a particular individual and marker combination
	<b>geno</b> Most probable dosage for a particular individual and marker combination, if maxP exceeds a user-defined threshold (e.g. 0.9), otherwise NA
ploidy	The ploidy of parent 1
parent1	character vector with the sample names of parent 1
parent2	character vector with the sample names of parent 2
F1	character vector with the sample names of the F1 individuals
cutoff	Correlation coefficient cut off to declare duplicates. At this correlation coefficient, individuals are merged. If NULL user input will be asked after plotting.
plot_cor	Logical. Should correlation coefficients be plotted? Can be memory/CPU intensive with high number of individuals.
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.

**Value**

A data frame similar to input probgeno\_df, but with duplicate individuals merged.

---

```
screen_for_duplicate_markers
  Screen for and remove duplicated markers
```

---

**Description**

screen\_for\_duplicate\_markers identifies and merges duplicate markers.

**Usage**

```
screen_for_duplicate_markers(
  dosage_matrix,
  merge_NA = TRUE,
  plot_cluster_size = TRUE,
  ploidy,
  ploidy2 = NULL,
  LG_number,
  estimate_bin_size = FALSE,
  log = NULL
)
```

**Arguments**

<code>dosage_matrix</code>	An integer matrix with markers in rows and individuals in columns.
<code>merge_NA</code>	Logical. Should missing values be imputed if non-NA in duplicated marker? By default, TRUE. If FALSE the dosage scores of representing marker are represented in the <code>filtered_dosage_matrix</code> .
<code>plot_cluster_size</code>	Logical. Should an informative plot about duplicate cluster size be given? By default, TRUE.
<code>ploidy</code>	Ploidy level of parent 1. Only needed if <code>estimate_bin_size</code> is TRUE
<code>ploidy2</code>	Integer, by default NULL. If parental ploidies differ, use this to specify the ploidy of parent 2. Only needed if <code>estimate_bin_size</code> is TRUE
<code>LG_number</code>	Expected number of chromosomes (linkage groups). Only needed if <code>estimate_bin_size</code> is TRUE
<code>estimate_bin_size</code>	Logical, by default FALSE. If TRUE, a very rudimentary calculation is made to estimate the average size of a marker bin, assuming a uniform distribution of cross-over events and on average one cross-over per bivalent.
<code>log</code>	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.

**Value**

A list containing:

**bin\_list** list of binned markers. The list names are the representing markers. This information can later be used to enrich the map with binned markers.

**filtered\_dosage\_matrix** `dosage_matrix` with merged duplicated markers. The markers will be given the name of the marker with least missing values.

**Examples**

```
data("screened_data3")
dupmscreened <- screen_for_duplicate_markers(screened_data3)
```

---

`screen_for_NA_values` *Screen marker data for NA values*

---

**Description**

`screen_for_NA_values` identifies and can remove rows or columns of a marker dataset based on the relative frequency of missing values.

**Usage**

```

screen_for_NA_values(
  dosage_matrix,
  margin = 1,
  cutoff = NULL,
  parentnames = c("P1", "P2"),
  plot_breakdown = FALSE,
  log = NULL,
  print.removed = TRUE
)

```

**Arguments**

`dosage_matrix` An integer matrix with markers in rows and individuals in columns.

`margin` An integer at which margin the missing value frequency will be calculated. A value of 1 means rows (markers), 2 means columns (individuals)

`cutoff` Missing value frequency cut off. At this frequency, rows or columns are removed from the dataset. If NULL user input will be asked after plotting the missing value frequency histogram.

`parentnames` A character vector of length 2, specifying the parent names.

`plot_breakdown` Logical. Should the percentage of markers removed as breakdown per marker-type be plotted? Can only be used if `margin = 1`.

`log` Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.

`print.removed` Logical. Should removed instances be printed?

**Value**

A matrix similar to `dosage_matrix`, with rows or columns removed that had a higher missing value frequency than specified.

**Examples**

```

data("segregating_data", "screened_data")
screened_markers<-screen_for_NA_values(dosage_matrix=segregating_data, margin=1, cutoff=0.1)
screened_indiv<-screen_for_NA_values(dosage_matrix=screened_data, margin=2, cutoff=0.1)

```

---

SNSN\_LOD\_deviations     *Identify deviations in LOD scores between pairs of simplex x nulliplex markers*

---

**Description**

SNSN\_LOD\_deviations checks whether the LOD scores obtained in the case of pairs of simplex x nulliplex markers are compatible with expectation. This can help identify problematic linkage estimates which can adversely affect marker clustering.

**Usage**

```
SNSN_LOD_deviations(
  linkage_df,
  ploidy,
  N,
  plot_expected = TRUE,
  alpha = c(0.05, 0.2),
  phase = c("coupling", "repulsion")
)
```

**Arguments**

linkage_df	A linkage data.frame as output of <code>linkage</code> .
ploidy	Integer. The ploidy level of the species.
N	Numeric. The number of F1 individuals in the mapping population.
plot_expected	Logical. Plot the observed and expected relationship between r and LOD.
alpha	Numeric. Vector of upper and lower tolerances around expected line.
phase	Character string. Specify which phase to examine for deviations (usually this is "coupling" phase).

**Value**

A vector of deviations in LOD scores outside the range defined by tolerances input alpha

**Examples**

```
data("SN_SN_P1")
SNSN_LOD_deviations(SN_SN_P1,ploidy = 4, N = 198)
```

---

SN_SN_P1	<i>A linkage data.frame.</i>
----------	------------------------------

---

**Description**

A linkage data.frame.

**Usage**

SN\_SN\_P1

SN\_SN\_P2

SN\_SS\_P1

SN\_SS\_P2

SN\_DN\_P1

SN\_DN\_P2

SN\_SN\_P2\_triploid

### Format

- marker\_a. First marker in comparison
- marker\_b. Second marker in comparison
- r. recombination frequency
- LOD. LOD score
- phase. The phase between markers

An object of class linkage\_df (inherits from data.frame) with 19306 rows and 5 columns.

An object of class linkage\_df (inherits from data.frame) with 53152 rows and 5 columns.

An object of class linkage\_df (inherits from data.frame) with 59494 rows and 5 columns.

An object of class linkage\_df (inherits from data.frame) with 19536 rows and 5 columns.

An object of class linkage\_df (inherits from data.frame) with 19897 rows and 5 columns.

An object of class data.frame with 6655 rows and 5 columns.

---

test\_prepairing

*Check for and estimate preferential pairing*

---

### Description

Identify closely-mapped repulsion-phase simplex x nulliplex markers and test these for preferential pairing, including estimating a preferential pairing parameter.

### Usage

```
test_prepairing(
  dosage_matrix,
  maplist,
  LG_hom_stack,
  target_parent = "P1",
  other_parent = "P2",
  ploidy,
  min_cM = 0.5,
  adj.method = "fdr",
  verbose = TRUE
)
```

**Arguments**

dosage_matrix	An integer matrix with markers in rows and individuals in columns.
maplist	A list of integrated chromosomal maps, as generated by e.g. <a href="#">MDSMap_from_list</a> . In the first column marker names and in the second their position.
LG_hom_stack	A data.frame with markernames ("SxN_Marker"), linkage group ("LG") and homologue ("homologue"), the output of <a href="#">define_LG_structure</a> or <a href="#">bridgeHomologues</a> usually.
target_parent	Character string specifying the parent to be tested for preferential pairing as provided in the columnnames of dosage_matrix, by default "P1".
other_parent	The other parent, by default "P2"
ploidy	The ploidy level of the species, by default 4 (tetraploid) is assumed.
min_cM	The smallest distance to be considered a true distance on the linkage map, by default distances less than 0.5 cM are considered essentially zero.
adj.method	Method to correct p values of Binomial test for multiple testing, by default the FDR correction is used, other options are available, inherited from <a href="#">p.adjust</a>
verbose	Should messages be sent to stdout? If NULL log is send to stdout.

**Examples**

```
data("ALL_dosages", "integrated.maplist", "LGHomDf_P1_1")
P1pp <- test_prepairing(ALL_dosages, integrated.maplist, LGHomDf_P1_1, ploidy=4)
```

---

write.mct

*Write MapChart file*


---

**Description**

Write a .mct file of a maplist for external plotting with MapChart software (Voorrips).

**Usage**

```
write.mct(
  maplist,
  mapdir = "mapping_files_MDSMap",
  file_info = paste("; MapChart file created on", Sys.Date()),
  filename = "MapFile",
  precision = 2,
  showMarkerNames = FALSE
)
```

**Arguments**

maplist	A list of maps. In the first column marker names and in the second their position. All map data are compiled into a single MapChart file.
mapdir	Directory to which .mct files are written, by default the same directory as for <a href="#">MDSMap_from_list</a>
file_info	A character string added to the first lines of the .mct file, by default a datestamp is recorded.
filename	Character string of filename to write the .mct file to, by default "MapFile"
precision	To how many decimal places should marker positions be specified (default = 2)?
showMarkerNames	Logical, by default FALSE, if TRUE, the marker names will be displayed in the MapChart output as well.

**Examples**

```
## Not run:
data("integrated.maplist")
write.mct(integrated.maplist)
## End(Not run)
```

---

```
write.pwd
```

```
Write a JoinMap compatible .pwd file from linkage data.frame.
```

---

**Description**

Output of this function allows to use JoinMap to perform the marker ordering step.

**Usage**

```
write.pwd(linkage_df, pwd_file, file_info, log = NULL)
```

**Arguments**

linkage_df	A linkage data.frame.
pwd_file	A character string specifying a file open for writing.
file_info	A character string added to the first lines of the .pwd file.
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.

**Examples**

```
## Not run:
data("all_linkages_list_P1_split")
write.pwd(all_linkages_list_P1_split[["LG3"]][["homologue1"]],
          "LG3_homologue1_P1.pwd",
          "Please feed me to JoinMap")
## End(Not run)
```



---

write.TSNPM	<i>Write TetraploidSNPMap input file</i>
-------------	--

---

### Description

Output the phased linkage map files into format readable by TetraploidSNPMap (Hackett et al. 2017) to perform QTL analysis.

### Usage

```
write.TSNPM(  
  phased.maplist,  
  outputdir = "TetraploidSNPMap_QTLfiles",  
  filename = "TSNPM",  
  ploidy,  
  verbose = FALSE  
)
```

### Arguments

phased.maplist	Phased maps in list format, the output of <a href="#">create_phased_maplist</a>
outputdir	Directory to which TetraploidSNPMap files are written, by default written to "TetraploidSNPMap_QTLfiles" folder
filename	Character string of filename stem to write the output files to, by default "TSNPM" with linkage groups names appended
ploidy	The ploidy of the species, currently only 4 is supported by TetraploidSNPMap
verbose	Should messages be sent to stdout?

### Value

NULL

### Examples

```
## Not run:  
data("phased.maplist")  
write.TSNPM(phased.maplist,ploidy=4)  
## End(Not run)
```

---

write_nested_list	<i>Write out a nested list</i>
-------------------	--------------------------------

---

### Description

Write a nested list into a directory structure

### Usage

```
write_nested_list(
  nested_list,
  directory,
  save_as_object = FALSE,
  object_prefix = directory,
  extension = if (save_as_object) ".Rdata" else ".txt",
  ...
)
```

### Arguments

nested_list	A nested list.
directory	Character string. Directory name to which to write the structure.
save_as_object	Logical. Save as R object?
object_prefix	Character. Prefix of R object. Only used if save_as_object = TRUE.
extension	Character. File extension. Default is ".txt".
...	Arguments passed to <a href="#">write.table</a>

### Examples

```
## Not run:
data("all_linkages_list_P1_subset")
write_nested_list(nested_list = all_linkages_list_P1_subset,
                  directory = "all_linkages_P1",
                  sep="\t")
## End(Not run)
```

---

write_pwd_list	<i>Write pwd files from a nested list</i>
----------------	---

---

### Description

A wrapper for [write.pwd](#), which allows to write multiple pwd files with a directory structure according to the nested linkage list.

**Usage**

```
write_pwd_list(  
  linkages_list,  
  target_parent,  
  binned = FALSE,  
  dir = getwd(),  
  log = NULL  
)
```

**Arguments**

linkages_list	A nested list with linkage group on the first level and homologue on the second.
target_parent	A character string specifying the name of the target parent.
binned	Logical. Are the markers binned? This information is used in the pwd header.
dir	A character string specifying the directory in which the files are written. Defaults to working directory.
log	Character string specifying the log filename to which standard output should be written. If NULL log is send to stdout.

**Examples**

```
## Not run:  
data("all_linkages_list_P1_split")  
write_pwd_list(all_linkages_list_P1_split, target_parent="P1", binned=FALSE)  
## End(Not run)
```

# Index

## \* datasets

- ALL\_dosages, 4
  - all\_linkages\_list\_P1, 5
  - chk1, 18
  - exampleRAD\_mapping, 32
  - gp\_df, 36
  - gp\_vignette\_data, 37
  - integrated.maplist, 40
  - LGHomDf\_P1\_1, 40
  - map1, 46
  - map2, 46
  - map3, 46
  - maplist\_P1, 47
  - mout, 51
  - P1\_homologues, 53
  - P1\_SxS\_Assigned, 53
  - phased.maplist, 56
  - SN\_SN\_P1, 69
- 
- add\_dup\_markers, 3
  - ALL\_dosages, 4
  - all\_linkages\_list\_P1, 5
  - all\_linkages\_list\_P1\_split
    - (all\_linkages\_list\_P1), 5
  - all\_linkages\_list\_P1\_subset
    - (all\_linkages\_list\_P1), 5
  - assembleDuplexLinks (bridgeHomologues),  
8
  - assign\_linkage\_group, 5, 38
  - assign\_SN\_SN, 6
- 
- barplot, 55
  - bridgeHomologues, 8, 71
- 
- calcSegtypeInfo, 9
  - check\_map, 15
  - check\_marker\_assignment, 3, 16
  - check\_maxP, 17
  - checkF1, 11, 30, 34, 39, 44
  - chk1, 18
  - cluster\_per\_LG, 18
  - cluster\_SN\_markers, 20
  - compare\_maps, 21
  - consensus\_LG\_assignment, 22
  - consensus\_LG\_names, 23
  - convert\_marker\_dosages, 24, 29–31
  - convert\_polyRAD, 25
  - convert\_updog, 26
  - correctDosages, 27
  - create\_phased\_maplist, 29, 60, 73
  - createTetraOriginInput, 28
- 
- define\_LG\_structure, 31, 71
- 
- estimate.map, 50
  - exampleRAD\_mapping, 32
- 
- finish\_linkage\_analysis, 33
- 
- get\_markertype\_combinations, 35
  - gp\_df, 36
  - gp\_overview, 30, 36
  - gp\_vignette\_data, 37
- 
- homologue\_lg\_assignment, 17, 30, 38
- 
- integrated.maplist, 40
- 
- jpeg, 19
- 
- legend, 59
  - LGHomDf\_P1\_1, 40
  - LGHomDf\_P2\_1 (LGHomDf\_P1\_1), 40
  - LGHomDf\_P2\_2 (LGHomDf\_P1\_1), 40
  - linkage, 6–8, 19, 20, 33, 34, 38, 39, 41, 52,  
54, 57, 59–64, 69
  - linkage.gp, 33, 38, 43
- 
- map1, 46
  - map2, 46
  - map3, 46

- maplist\_P1, 47
- maplist\_P1\_subset (maplist\_P1), 47
- maplist\_P2\_subset (maplist\_P1), 47
- marker\_assignments\_P1
  - (P1\_SxS\_Assigned), 53
- marker\_assignments\_P2
  - (P1\_SxS\_Assigned), 53
- marker\_binning, 47
- marker\_data\_summary, 48
- MDSMap\_from\_list, 50, 71, 72
- merge\_homologues, 51
- mout, 51
- multidog, 26
  
- overviewSNlinks, 52
  
- p.adjust, 71
- P1\_DxN\_Assigned (P1\_SxS\_Assigned), 53
- P1\_homologues, 53
- P1\_SxS\_Assigned, 53
- P2\_DxN\_Assigned (P1\_SxS\_Assigned), 53
- P2\_homologues (P1\_homologues), 53
- P2\_homologues\_triploid (P1\_homologues), 53
- P2\_SxS\_Assigned (P1\_SxS\_Assigned), 53
- P2\_SxS\_Assigned\_2 (P1\_SxS\_Assigned), 53
- p4\_functions, 54
- parental\_quantities, 55
- PCA\_progeny, 56
- pdf, 19
- phase\_SN\_diploid, 57
- phased.maplist, 56
- PipelineMapping2Parents, 25
- plot, 59
- plot\_hom\_vs\_LG, 58
- plot\_map, 29, 58
- plot\_phased\_maplist, 60
- png, 19
  
- r2\_1.0\_1.0 (r2\_functions), 60
- r2\_1.0\_1.1 (r2\_functions), 60
- r2\_1.1\_1.1 (r2\_functions), 60
- r2\_functions, 60
- r3\_2\_1.0\_1.0 (r3\_functions), 61
- r3\_2\_1.0\_1.1 (r3\_functions), 61
- r3\_2\_1.0\_1.2 (r3\_functions), 61
- r3\_2\_1.2\_1.2 (r3\_functions), 61
- r3\_functions, 61
- r4\_functions, 62
  
- r6\_functions, 63
- r\_LOD\_plot, 63
  
- screen\_for\_duplicate\_individuals, 64, 65
- screen\_for\_duplicate\_individuals.gp, 65
- screen\_for\_duplicate\_markers, 3, 66
- screen\_for\_NA\_values, 67
- screened\_data (ALL\_dosages), 4
- screened\_data2 (ALL\_dosages), 4
- screened\_data3 (ALL\_dosages), 4
- segregating\_data (ALL\_dosages), 4
- SN\_DN\_P1 (SN\_SN\_P1), 69
- SN\_DN\_P2 (SN\_SN\_P1), 69
- SN\_SN\_P1, 69
- SN\_SN\_P2 (SN\_SN\_P1), 69
- SN\_SN\_P2\_triploid (SN\_SN\_P1), 69
- SN\_SS\_P1 (SN\_SN\_P1), 69
- SN\_SS\_P2 (SN\_SN\_P1), 69
- SNSN\_LOD\_deviations, 68
  
- test\_prefpairing, 34, 42, 44, 70
- TRI\_dosages (ALL\_dosages), 4
  
- write.mct, 71
- write.pwd, 72, 74
- write.table, 74
- write.TSNPM, 73
- write\_nested\_list, 74
- write\_pwd\_list, 74